Western Kentucky University TopSCHOLAR®

Kentucky Warbler

Library Special Collections

2-2016

Kentucky Warbler (Vol. 92, no. 1)

Kentucky Library Research Collections Western Kentucky University, spcol@wku.edu

Follow this and additional works at: http://digitalcommons.wku.edu/ky_warbler Part of the <u>Ornithology Commons</u>

Recommended Citation

Kentucky Library Research Collections, "Kentucky Warbler (Vol. 92, no. 1)" (2016). *Kentucky Warbler*. Paper 367. http://digitalcommons.wku.edu/ky_warbler/367

This Magazine is brought to you for free and open access by TopSCHOLAR[®]. It has been accepted for inclusion in Kentucky Warbler by an authorized administrator of TopSCHOLAR[®]. For more information, please contact topscholar@wku.edu.

The Kentucky Warbler

(Published by Kentucky Ornithological Society)

VOL. 92

FEBRUARY 2016

NO. 1



IN THIS ISSUE

FALL 2015 SEASON, Brainard Palmer-Ball, Jr., and Lee McNeely	. 3
CHRISTMAS BIRD COUNT 2015-2016, Blaine R. Ferrell	17
FIELD NOTE Another 19th Century Report of Golden Eagle in Kentucky	34
NEWS AND VIEWS	

THE KENTUCKY ORNITHOLOGICAL SOCIETY

President	Pat Bell, Louisville
Vice-President	David Lang, Georgetown
Corresponding Secretary	Brainard Palmer-Ball, Jr. port Road, Louisville, KY 40222-3913
Treasurer	5
	P.O. Box 463, Burlington, KY, 41005
Recording Secretary	Blaine Ferrell, Bowling Green
Councillors:	
Bonnie Avery, Upton	
Jeff Sole, Frankfort	
Rob Lane, Louisville	
Teresa Graham, Greenville	
Carol Besse, Louisville	
Rebecca Bates, Berea	
Retiring President	Steve Kistler, Munfordville

Affiliates

Beckham Bird Club (Louisville) Northern Kentucky Bird Club (Burlington)

The Kentucky Warbler

The journal of the Kentucky Ornithological Society, published quarterly in February, May, August and November, *The Kentucky Warbler* is sent to all members not in arrears for dues. Current membership categories and corresponding dues follow: Regular (\$15.00); Contributing (\$25.00); Student (\$10.00); Family (\$20.00); and Life (\$300.00). Direct manuscripts and communications to the Editor. Send membership dues to the Treasurer. Make requests for back issues to the Corresponding Secretary.

Editor.....Brainard Palmer-Ball, Jr. 8207 Old Westport Road, Louisville, KY, 40222 (brainard@mindspring.com)

Editorial Advisory Board

Ben Yandell and Carol Besse

THE COVER

We thank Pam K. Spaulding for the image of the Black-throated Gray Warbler (*Setophaga nigrescens*) taken 25 November 2015 at Surrey Hills Farm in northeastern Jefferson County (see **Fall 2015 Season**, p. 15). Financial support for color reproduction in this issue has been provided by the Daniel Boone National Forest.



FALL 2015 SEASON

Brainard Palmer-Ball, Jr., and Lee McNeely

Weather conditions during fall 2015 were somewhat variable across the state. Temperatures during the period did not vary remarkably from normal, although August, October, and November were slightly warmer than normal and September was slightly cooler than normal. Precipitation was much more variable during the season. Eastern Kentucky received above normal rainfall during August while the central part of the state experienced near normal precipitation, but the western half was drier than normal, particularly at Bowling Green, where only about one-half of normal rainfall fell. During September, most of the state experienced near-normal precipitation, although it was very dry in western Kentucky, where Paducah received only about one-quarter of the normal amount of rain. This trend continued in the west during October; Paducah remained below normal, although the central part of the state received close to one-and-a-half times normal rainfall. The situation flipped during November, however, with Paducah finally receiving an above-normal amount of precipitation (two times normal, in fact) and Jackson receiving only about threequarters of the normal amount.

Rarity highlights included Red-throated Loon, Pacific Loon, White-faced Ibis, Red Phalarope, Great Black-backed Gull, White-winged Dove, Black-chinned Hummingbird, and Black-throated Gray Warbler. Irruptive winter finches were low in number, with small numbers of Pine Siskins and Purple Finches being the only ones to appear. Red-breasted Nuthatches were nearly absent again this year.


Publication of any unusual sightings in the seasonal report does not imply that these reports have been accepted for inclusion in the official checklist of Kentucky birds. Reports of out-of-season birds and rarities should be accompanied by written and/or photographic documentation. This documentation is reviewed by the Kentucky Bird Records Committee (KBRC). Decisions regarding the official Kentucky list are made by the KBRC and are reported periodically in *The Kentucky Warbler*.

Abbreviations - County names appear in *italics*; when used to separate dates, the "/" symbol is used in place of "and"; "ba." next to an observer's initials indicates that the bird was banded; "ph." next to an observer's initials indicates that the observation was documented with photograph(s); "†" next to an observer's initials indicates that written details were submitted with the report. Place names: Anchorage Trail, Jefferson; Ballard WMA, Ballard; Barkley Dam, Livingston/Lyon; Barren River Lake, Allen/Barren; Beckley Creek Park, e. Jefferson; Berea, Madison; Blood River = Blood River embayment, Ky Lake, *Calloway*; Camp #9 = Camp #9 Coal Preparation Plant, *Union*; Camp #11 = former Camp #11 Mine, *Union*; <u>Caperton Swamp</u> = Caperton Swamp Nature Preserve, *Jefferson*; Cedar Creek Lake, Lincoln; Cherokee Park, Jefferson; Dry Creek Unit [Barren River Lake WMA], Barren; Clear Creek = Clear Creek embayment, Ky Lake, Marshall; Douglass Hills, e. Jefferson; Falls of the Ohio, Jefferson; Fishing Creek = Fishing Creek embayment of Lake Cumberland, Pulaski; Greenville, Muhlenberg; Horseshoe Road, sloughs along Horseshoe Road, w. Henderson; Jonathan Creek = Jonathan Creek embayment, Ky Lake, Marshall; Ky Dam = Kentucky Dam, Livingston/Marshall; Ky Dam Village = Ky Dam Village SRP, Marshall; Ky Lake = Kentucky Lake, Calloway/Livingston/Lyon/Marshall/ *Trigg*; <u>LBL</u> = Land Between the Lakes National Recreation Area, *Lyon/Trigg*; <u>Lexington</u>, Fayette; Luzerne Lake, Muhlenberg; Melco = Melco flood retention basin, Jefferson; Minor <u>Clark</u> = Minor Clark Fish Hatchery, Rowan; <u>Murray</u>, Calloway; <u>nw. of Powderly</u> = Muhlenberg County Rail Trail nw. of Powderly; Owsley Fork Lake, Madison (unless otherwise noted); Pope Lick Park, [formerly Floyds Fork Park], Jefferson; Sauerheber = Sauerheber Unit Sloughs WMA, Henderson; Sinclair = Sinclair Unit Peabody WMA, Muhlenberg; Sledd Creek = Sledd Creek embayment, Ky Lake, Marshall; Spindletop Farm = University of Kentucky Spindletop Research Farm, *Favette*; SNP = State Nature Preserve; SP = State Park; SRP = State Resort Park; Surrey Hills Farm, ne. Jefferson; Upper Hickman Bottoms, w. Fulton; Waitsboro = Lake Cumberland at Waitsboro Recreation Area, Pulaski; Wildcat Creek = Wildcat Creek embayment, Ky Lake, Calloway; WMA = Wildlife Management Area.

- Greater White-fronted Goose 18 at Northern Pintail singles at Minor Clark Blood River 12 October (HC) and 36 at Camp #11 on 15 October (BPa, JBa, CC) were the earliest to be reported. Other reports of interest included 11 over Douglass Hills 29 October (BY, ph. MY); 3 migrant flocks over Otter Creek Park, Meade, 7 November (CL); and 2000 at Sauerheber by 16 November (CC) with 3000 there by 25 November (CC).
- **Snow Goose** 2 at Camp #11 on 15 October (BPa, JBa, CC) and 150 at Sauerheber 16 October (CC) were the earliest to be reported.
- Ross's Goose 1 at Goose Lake, Sinclair, 11 November (ph. SG, TG) was the only one reported.
- Tundra Swan 8 from the wintering flock at Sauerheber were first observed there 18 November (KM).
- Gadwall 350 on Lake Barkley, Trigg, 10 November (BL) represented a modest peak count for the season.
- Gadwall x Mallard a male was present at Somerset, Pulaski, 17 November (ph. RD).
- **Blue-winged Teal** peak counts included at least 115 at the Falls of the Ohio, ca. 150 at Camp #11, and 290 at Camp #9 (BPa, JBa), all 10 September; 125 at Camp #11 on 14 September (BPa); and 198 at Jonathan Creek (MMi) and 125 at Barren River Lake (TD, TBe, KOS), both 19 September. Fifteen at Sauerheber 18 November (KM) and 3 at Green River Lake, Taylor, 27 November (RCa, RBi) were quite tardy.
- Northern Shoveler 9 at the E.W. Brown Power Plant, Mercer, 28 August (RD, JDn), 1 at Jonathan Creek 31 August (MMi), and 2 at Lexington 1 September (LCo) were the earliest to be reported; 100 at Sauerheber 18 November (KM) represented the season's peak count.

- 12 September (BW, CBC) and at Camp #11 on 14 September (BPa) were the earliest to be reported: 15-20 at Camp #11 on 15 October (BPa, JBa, CC) represented a very modest peak count for the season.
- Green-winged Teal 1 at Melco 25 August (RFa, JA, et al.) was the earliest to be reported; other reports of interest included 168 at Blood River 29 October (HC) and 39 on the Ohio River at Six-Mile Island, Jefferson, 22 November (BPa).
- Canvasback 1 on Ky Lake above the dam 3 November (HC, BL) was the earliest to be reported.
- Redhead 5 on Ky Lake, Marshall, 30 October (HC, ME) were the earliest to be reported; peak counts included at least 200 on the Ohio River at Louisville 29 November (BPa, CBs, RFa) and at least 2500 at Waitsboro 30 November (ph. RD).
- Greater Scaup 1 on the Ohio River at Louisville 21 November (BPa et al.) was the earliest to be reported.
- Lesser Scaup 1 on the Ohio River at Louisville 29 October (RFa) and 15 there 1 November (CBs, BBC) were the earliest to be reported.
- Surf Scoter there were reports from two locales: 1 on Ky Lake above the dam, Livingston, 30 October (HC) with 2 on the Marshall side of the lake near Ky Dam Village 1 November (BPa, MMo) and 3 continuing in the vicinity to 6 November (JP, BL, HC, et al.); and 4 on the Ohio River at Louisville 30 November (EH et al.).
- Black Scoter there were reports from two locales: 2 on the Ohio River at Louisville 13 November (BPa et al.) with 1 there 21 November (BPa) and 1 + 3 there 22 November (BPa, EH, et al.); and 1 on the Ohio River at Catlettsburg, Boyd, 26 November (ph. MLu).

- **Bufflehead** 1 at Cave Run Lake, *Rowan*, 28 October (RLe) was the earliest to be reported; peak counts included 50 total on the Ohio River at Louisville 20 November (BPa) with 96 total there 22 November (EH, BPa, et al.) and 50+ total there 29 November (BPa, CBs, RFa).
- Red-breasted Merganser 59 at Luzerne Lake (TG, SG) and 118 at Fishing Creek (RD), both 30 November, represented the peak counts for the season.
- **Ruddy Duck** 60 at Waitsboro 30 November (RD) represented a modest peak count for the season.
- Red-throated Loon there were two reports: 1 on Lake Cumberland off Old Rowena Road, *Russell*, 21 November (†RBn) and 1 at the mouth of Sledd Creek 24 November (†BPa).
- **Pacific Loon** 1 was at Green River Lake, *Taylor*, 30 October–1 November (ph. RD, et al.). KBRC review required.



Common Loon – 1 on Cave Run Lake, Bath, 20 August (ph. RD) may have been continuing from summer or a very early migrant; next earliest was 1 on Green River Lake, Adair, 13 October (RD). Mostly modest peak counts included 77 on Green River Lake, Adair, 7 November (RD); 300 on Lake Cumberland off Old Rowena Road, Russell, 21 November (RBn) with 40 there 22 November (RD); and 27 on the Ohio River at Louisville (BPa et al.), 40 on Lexington Reservoirs #2/#3 (LCo et al.), and 154 total on Lake Cumberland, *Pulaski/Wayne* (RD), all 30 November.

- Horned Grebe 1 on Green River Lake, *Adair*, 13 October (RD) was the earliest to be reported; peak counts all occurred 30 November and included 50 at Jacobson Park, Lexington (TL), 100 on Lexington Reservoirs #2/#3 (JWi), 60 on Luzerne Lake (TG, SG), at least 300 total on the Ohio River at Louisville (EH et al.).
- **Double-crested Cormorant** reports of interest included 200 on Barren River Lake 19 September (TD, RBa, KOS); 2000 at Kuttawa 15 October (HC); and 350-400 on the Ohio River at Louisville 24 October (DSt, BPa).
- American White Pelican 42 had returned to Blood River by 21 September (HC); the peak count from the LBL region was for more than 800 at Blood River 16 October/3 November (HC, ME/MMi). There were only two reports away from the LBL region: 7 on Green River Lake, *Adair*, 13 October (ph. RD) and 45 over the Mississippi River at Hickman, *Fulton*, 6 November (HC)
- Least Bittern there was only one report: 1 at Minor Clark 5 October (†RLe).
- Great Egret local peak counts of interest included 38 at Melco 19 August (BPa et al.); 123 in the Upper Hickman Bottoms 7 August (HC); 82 at Jonathan Creek 10 September (MMi); 145 at Horseshoe Road 14 September (BPa); and 83 at the Falls of the Ohio 9 October (DSt et al.). One lingered at the Falls of the Ohio to 22 November (BPa, DSv, LCo).
- **Snowy Egret** one at Blood River 16 October (HC, ME) was the latest to be reported.
- Little Blue Heron there were only two reports away from w. Kentucky: 1 at Minor Clark 20/30 August (RD/JSo) and 1 at Hays Kennedy Park, *Jefferson*, ca. 10 September (JK).
- Cattle Egret there was only one report away from w. Kentucky: 3 at Hays Kennedy Park, *Jefferson*, ca. 13 September (JK).

5

- Green Heron 1 at Hays Kennedy Park 15 October (KB) and an especially tardy bird at Veterans Park, Lexington, 5 November (†SRn) were the latest to be reported.
- **Black-crowned Night-Heron** 1 at the **Golden Eagle** there was only one report: a Kendall Rec. Area, Russell, 30 August (KM) was a local first.
- Yellow-crowned Night-Heron there were reports from four locales: at least 7 along Cypress Creek, Marshall, 2 August (ph. BPa, ph. MMo); 11 & 12 mostly juvs. at Honey Cypress Slough, Grassy Pond/ Powells Lake Unit Sloughs WMA, Henderson, 13 & 21 August, respectively (ph. CC) with 1 still there 26 August (SG, TG); 2 juvs. at Obion WMA 16 August (DSv, ph. LCo, BPa); and a second-year bird at the Falls of the Ohio 7 September (†SW).
- White-faced Ibis 1 at Melco 21 October (ph. BPa et al.) was a first for Jefferson. KBRC review required.
- Plegadis ibis there were three reports of unidentified dark ibis: 1 at Horseshoe Road 13/14 September (†CC/ph. JSo); 1 at Sauerheber 1 November (†DLe); and 1 at Honey Cypress Slough, Grassy Pond/ Powells Lake Unit Sloughs WMA, Union, 4 November (ph. CC). Under KBRC review.
- Osprey tardy birds were reported at several locales into the last week of October (eBird data); singles at Luzerne Lake 15 November (SG, TG) and at Lake Barkley, Trigg, 22 November (BL) were particularly late.
- Swallow-tailed Kite 1 was seen over Pinchgut Creek, e. Allen, 16 August (†MBy, JBy, MkB, MrB). KBRC review required.
- Mississippi Kite 2 lingered at Strathmoor Manor, Louisville, to 13 August (JBa); other reports of interest included 2 over Murray 19 August (MMi); 1 along I-65 near Colesburg, Hardin, 20 August (†AC) and singles nw. of Powderly and w. of Greenville to the end of August (TG, SG).
- Broad-winged Hawk modest peak counts included 21 over Crescent Hill, Louisville (MSt), 12 over Jacobson Park, Lexington

(MT, ASK), and 344 over Douglass Hills (MMo), all 20 September; and 43 over Flat Rock Ridge Road, McCreary, 21 September (RD).

- juv. over Ft. Knox, Hardin, 14 November (ph. MLe).
- **Virginia Rail** there was only one report: 1 at Spindletop Farm 17 October (SH, ASK).
- Sora singles at Horseshoe Road 10/14 September (BPa, JBa/BPa, CC) were the earliest to be reported; very modest peak counts included at least 4 heard at Camp #11 on 15 October (BPa, JBa, CC) and 5 at Sauerheber 17 October (BPa, BBC).
- American Coot 1 at Adkins Swamp, Sinclair, 9 August (TG, SG) was likely continuing from summer; peak counts included 2000 on Lake Cumberland above Wolf Creek Dam, Russell (RD), and 1500 on Green River Lake, Taylor (RD), both 7 November.
- Sandhill Crane few had passed through by the end of November (m. ob.).
- Black-necked Stilt there were two reports: 35-40 (likely including some local family groups) at Wolf Island, Hickman, 3/8 August (PP/ph. RCr, PP) and 2 adjacent to Swan Lake, Ballard, 8 August (ph. RCr).
- American Avocet there were three reports: 1 at Wolf Island, Hickman, 8 August (ph. RCr); 6 at Horseshoe Road 14/15 August (ph. BPa, CC/JSo) with 5 still there 17 August (CC); and 1 at Jonathan Creek 22 September (JP).
- Black-bellied Plover it was a poor season for the species with reports from only five locales: 1 at the Long Creek Refuge, LBL, Trigg, 20-22 August (HC, ME, JP); 1 w. of Honey Cypress Slough, Union, 1-5 September (CC); 1-2 at Wildcat Creek/ Blood River 15 September (HC) & 12-16 October (HC, ME); and 1 at Jonathan Creek 2 October (HC).
- American Golden-Plover reports of interest included 1-3 at Melco 2 September-14 October (BPa et al.) with peak counts of 5 there 1/11 October (BPa, JBa, PS/BPa et

- al.) and 6 there 3-4 October (BPa, JBa, et al.); 8 at Horseshoe Road 13 September (CC) with 4 there 20 September (CC); 1 at Minor Clark 15/18 September (SC, DM, LH/TS); 1-2 at Jonathan Creek 24-30 September (HC, ME); and a rather tardy flock of 32 s. of Mt. Zion, Allen, 28 October (MBy, JBy).
- Semipalmated Plover 1 lingered at Wildcat Creek to 30 October (HC, ME).
- Killdeer local peak counts included 350 in the Upper Hickman Bottoms 4 August (HC, JP); 200 at Horseshoe Road (CC) and 148 at Melco (BPa), both 5 September; 200 at Guthrie Swamp, Todd, 22 October (JH); 200 at Sauerheber 30 October (CC); 332 along Frazer Road, Wayne, 9 November (RD); and 221 at Jonathan Dunlin - an exceptionally early juv. was at Creek 12 November (HC).
- Spotted Sandpiper 1 at the Pfeiffer Fish Hatchery, n. Franklin, 16 November (ph. BDe) was tardy.
- Greater Yellowlegs 16 at Jonathan Creek 6 November (BW, RFa, BPa) represented a modest peak count for the season. Six at Barren River Lake (RS, MBy, JBy), 1 over ne. Calloway (RFa, BW), and 2 at Cedar Creek Lake (RD), all 6 November; 1 at Fishing Creek 6-7 November (RD): and 1 at Sauerheber 19 November (CC) were the latest to be reported.
- Lesser Yellowlegs 100 at Horseshoe Road 5 September (CC) represented the peak count for the season. Two at Green River Lake SP, Taylor, 1 November (TG, SG); 3 at Clear Creek 3 November (HC) and 2 at Sauerheber 8 November (JM) were the latest to be reported.
- Upland Sandpiper there was only one report: 1 at Beckley Creek Park 12 August (MWa).
- Ruddy Turnstone there were only three reports: 1 on an island in Ky Lake near Hamlin, Calloway, 12 August (ph. CP); 1 at Minor Clark 8-15 September (MWr et al.); and 2 at Louisville Trackside 21 September (TBa et al.) with 1 continuing there to 22 September (AM et al.).
- Stilt Sandpiper reports of interest included 20 at Horseshoe Road 8 September

(CC) with at least 94 there 10 September (BPa, JBa) and at least 50 still there 14 September (CC, BPa); and 29 at Jonathan Creek 11 September (HC, ME).

- **Sanderling** it was an exceptionally poor season with reports from only five locales: 2 at the Falls of the Ohio 6 August (MWa, JBa, et al.) with 1 there 22 -25 August (DSt et al.), 2 there 28 August (TBe, CBe), and 1-2 there 12-15 September (TBe, CBe, DSt); 1 at Ky Dam Village 30 August (JH); 1 at the E.W. Brown Power Plant, Mercer, 5 September (RD); 1 at Minor Clark on at least three dates 15 September-4 October (DM, TS, JSo); and 2 on an island in Ky Lake near Hamlin, Calloway, 25 September (JBr).
- Horseshoe Road 10-17 September (ph. BPa, JBa, CC); next earliest was 1 at Jonathan Creek 27 September (HC); other reports of interest included 42 at Blood River 25 October (HC) with 93 there 29 October (HC); 46 at Clear Creek 3 November (HC) with 70 nearby at Jonathan Creek 6 November (BW, RFa, BPa), 61 still at the latter locale 13 November (MMi), and 72 there 10 November (HC); and 65 at Wildcat Creek 11 November (HC).
- Baird's Sandpiper there were reports from five locales: 1 at Melco 16-19 August (BPa et al.); 2 along Fern Valley Road, Jefferson, 3-9 September (BPa, BDa, et al.); 1 at the Falls of the Ohio 26 August-4 September (TBe, CBe, et al.) with 2 there 7 September (SW) and 1 there 12 September (TBe, CBe); 1 at Fox Chase Pond, Wayne, 6-7 September (ph. RD); and 1 at Blood River 10 September (HC).
- Least Sandpiper peak counts of interest included 43 at Melco 8 September (BPa) with 45 there 24 October (BPa); 55 at Camp #9 on 10 September (BPa, JBa); at least 175 at Horseshoe Road 10 September (BPa, JBa) with 125 still there 14 September (CC, BPa); and 131 at Jonathan Creek 30 October (HC, ME) with 151 there 5 November (HC), 191 there 12 November (HC), and 175 nearby at Clear Creek 18 November (HC, JP). Tardy birds

away from the LBL region included 3 at Melco 14 November (BPa) and 6 at Guthrie Swamp 19 November (JH).

White-rumped Sandpiper - an unprecedented fallout occurred during October with all reports included: at least 17 at Melco 3 October (BPa et al.) with 20 there 4-8 October (BPa, JWh, et al.), a peak count of 22 there 9 October (BPa), and 2 there 11-14 October (BPa et al.); 2 at Minor Clark 5-8 October (RLe, DM) with 4 there 9 October (JSo), 3 there 16 October (JSo), and 1 last seen there 25 October (ph. DA); 4 at the Falls of the Ohio 6 October (JBa et al.) with 3 still there 9 October (DSt, TBe) and 1 last seen there 12 October (JBa); 3 at Jonathan Creek 11 October (HC); and 8/9 at Wildcat Creek 12/14 October (HC) with a new state high count for fall of 24 there 16 October (ph. HC, ME) and 13 last seen there 25 October (HC); and 1 at Barren River Lake, Allen, 22 October (MBy).




Brainard Palmer-Ball, Jr.

Buff-breasted Sandpiper – there were reports from six locales: 8 in the Upper Hickman Bottoms 4 August (HC, JP); an ad. at Melco 5 August (BPa et al.) with a juv. there 28 August (RFa, BPa, et al.) and 2 there 6-8 September (BPa et al.); 1 at the Falls of the Ohio 7/18 August (TBa/JBa) with 7 there 31 August (JBa, BPa, et al.), 2 there 7 September (BPa, TQ), and 4 there 8 September (DSt); 3 at Horseshoe Road 8 September (CC) with 2 there 10-

14 September (CC, BPa, JBa, JSo) and 1 last seen there 17 September (CC); 2 at Blood River 10 September (HC); and 1 at Minor Clark 13 September (LH).

- Pectoral Sandpiper modest peak counts included 125+ in the Upper Hickman Bottoms 16 August (BPa, DSv, LCo); and 100 at Horseshoe Road 5 September (CC) with at least 75 still there 10 September (CC, JBa, BPa). Singles at Minor Clark 31 October (TL), at Melco 4 November (BPa), and at Jonathan Creek 10 November (HC) were the latest to be reported.
- Semipalmated Sandpiper 10 at Melco 19 August (BPa et al.) represented a very modest peak count for the season; a very tardy individual lingered at Clear Creek/ Jonathan Creek to 18 November (†/ph. HC).
- Western Sandpiper it was another poor season for the species with reports from only five locales: 1 at Louisville Trackside 19 August (ph. BPa et al.); 1 at the E.W. Brown Power Plant, Mercer, 20 August (RD); singles at Melco 21-25 August (BPa et al.) and 2-6 September (BPa et al.); 1 at the Falls of the Ohio 28 August (TBe, CBe); and 1 at Blood River/Wildcat Creek 7-22 September (HC) with a peak count of 9 at Blood River on the relatively late date of 12 October (HC), and 5 still there and 3 at Wildcat Creek, both 14 October (HC), 1 lingering at Wildcat Creek to 25 October (HC), and 2 still present at Blood River on the exceptionally late date of 11 November (HC).
- Short-billed Dowitcher it was a poor season for the species with reports of 1-2 birds at only four locales: singles at Melco 5 August/25 September (BPa et al./BPa); 2 along Uniontown-Mt. Vernon Road, Union, 21 August (CC); 1 sw. of Dot, Logan, 28 August (FL); and 1-2 at Horseshoe Road 31 August–17 September (CC, BPa, JBa, JSo).
- Long-billed Dowitcher an early ad. was at Horseshoe Road 10 September (†BPa, JBa); other reports of interest included singles (probably involving at least 2 individuals) at Melco 26-29 September & 6–14 October (ph. BPa et al.); and 5 at



- Camp #9 and 1 at Camp #11, both 15 Bonaparte's Gull modest peak counts October (BPa, JBa, CC). Unprecedented numbers arrived in the LBL area during late October, however, resulting in the following impressive peak counts that include new state fall high counts: 34 at Blood River 25 October (HC) with 28 there 29 October (HC) and 11 still there 22 November (HC); and 41 at Jonathan Creek 30 October (HC, ME) with 47 nearby at Clear Creek 3 November (HC), a peak count of 56 at Jonathan Creek 6 November (BW, RFa, BPa), 54 there 8 November (HC), and 47 lingering there to 20 November (ME).
- Wilson's Snipe modest peak counts included 40 at Melco 7 November (BPa, MWa) and 75 at Sauerheber 16 November (CC).
- Wilson's Phalarope the species was reported from only one locale: 1 at Horseshoe Road 8-10 September (ph. CC et al.) with 2 there 12-15 September (ph. SG, TG, CC, JSo, et al.); and 1 there again 23 September (CC).
- **Red-necked Phalarope** 1 was reported at Hays Kennedy Park, Jefferson, 5 October (†JK).
- Red Phalarope unprecedented for fall was the presence of an ad. adjacent to Swan Lake, Ballard, 11 August (ph. HC, et al.). KBRC review required.

- included 230 on Green River Lake, Adair, 14 November (RD); and 75-80 on the Ohio River at Louisville 29 November (BPa, CBs, RFa).
- Laughing Gull there were reports from five locales: a first-year bird at Ky Dam Village 2 August (MMo, BPa); a firstyear bird at the Falls of the Ohio 11 August (ph. PS, JBa, et al.) with 2 first-year birds there 13-18 August (ph. JBa et al.) and 1 lingering there to 1 September (TBe, CBe, et al.); a first-year bird at Ky Dam Village 13/18 October (HC/RD); 3 at Barren River Lake 28 October (TD); and single first-year birds at Barren River Lake (†RS) and Sledd Creek (BW, RFa, BPa), both 6 November.
- Franklin's Gull the species put in an exceptional showing from mid-October to early November with the following reports of interest: 9 at Blood River 14 October (HC) with 2 there 29 October (HC); 1 at Wildcat Creek 16 October (HC, ME) with 64 there 30 October (HC, ME) and 23 there 1 November (HC, JP); 15-20 at Ky Dam Village 1 November (BPa, MMo) with 55 there 3 November (JBa); 30 at Sledd Creek 1 November (BPa, MMo); 1 at Barren River Lake 1 November (TD) with new local high counts of 170 there 5 November (MBy, JBy, RS) and 206 there 6 November (MBy, JBy,

- RS); 1-3 at Jonathan Creek/Clear Creek on several dates 26 October–8 November (MMi, JP, BPa, MMo, HC) with 23 at Jonathan Creek 6 November (BW, RFa, BPa), 14 there 12 November (HC), and 2 last seen there 20 November (ME); 1 on Green River Lake, *Adair*, 7 November (†RD); 18 on the Ohio River at Louisville 12 November (BPa) with 14 still there 13 November (TBa et al.), 2 there 14 November (PB, JBe), 3 + 7 there 21 November (BPa et al.), and 1 lingering there to 22 November (JSo, TBa); and 1 on the Ohio River at Dayton, *Campbell*, 14 November (BW).
- **Ring-billed Gull** ca. 500 (including 4 juvs.) were at Ky Dam Village by 2 August (BPa, MMo); at least 850 were on the Ohio River at Louisville 22 November (EH, BPa, et al.).
- Herring Gull an ad. was at Ky Dam Vilage by 2 August (BPa, MMo).
- Lesser Black-backed Gull all of the reports were from the vicinity of Ky Dam/ LBL; 2 at Ky Dam 20 August were exceptionally early (HC, ME, JP); 3 were at Sledd Creek 6/24 November (BW, RFa, BPa/ BPa); and singles were at Clear Creek/ Jonathan Creek on several dates 8 September–18 November (HC, JP, MMi, et al.).
- Great Black-backed Gull quite extraordinary was an ad. at the Falls of the Ohio 6-7 August (ph. JBa, MWa, ph. PS, et al.).
- Least Tern a few active nests were found at Watson Point, *Fulton*, during the second week of August (CP), indicating that a few birds attempted very late nestings after water levels finally dropped back from July highs; 8 ads. were still in the Upper Hickman Bottoms 16 August (BPa, DSv, LCo).
- Caspian Tern generally modest peak counts included 51 at Ky Dam Village 2 August (BPa, MMo); 51 at Wildcat Creek and 83 on Ky Lake near Hamlin, *Calloway*, both 18 August (HC); 34 at Blood River 1 September (HC); 27 at Clear Creek 8 September (HC); and 11 at the

Falls of the Ohio 30 September (JBa et al.).

- Black Tern there were reports from only six locales: 1 in the Upper Hickman Bottoms 4 August (HC, JP); 20-25 adjacent to Swan Lake, *Ballard*, 8 August (RCr) with 2 still there 11-12 August (BY, MY); 5 at the Falls of the Ohio 19 August (JBa et al.); 3 at Melco 19 August (BPa et al.) with 7 there 8 September (ph. PS et al.) and 2 still there 9 September (BDa, TBa); 2 along Uniontown-Mt. Vernon Road, *Union*, 21 August (CC); and 5 at Camp #9 on 10 September (JBa, BPa).
- **Common Tern** there were reports from three locales: 1 at the Falls of the Ohio 13 September (BPa) with 1 just upstream in the Ohio River basin above the dam 26 September (JSo, BPa); and 1 at Fishing Creek (†RD) and 5 at Barren River Lake (TD), all on the relatively late date of 28 October.
- Forster's Tern local peak counts of interest included 130 at Sledd Creek 25 September (JP) with at least 110 still there 1 November (BPa, MMo); and 158 at Jonathan Creek/Clear Creek 27 September/10 October (HC/HC, ME) with 120 still there 6 November (BW, RFa, BPa). As is the norm, dozens lingered at Jonathan Creek and at Blood River into late November.
- White-winged Dove 1 was present at Bowling Green "through the summer of 2015," photographed 7 August (ph. TH), and last seen 18 September. KBRC review required.



Terry Hudson

- Yellow-billed Cuckoo singles at Sauereber 19 October (CC) and heard along (SB) were the latest to be reported.
- Black-billed Cuckoo there were four reports: 1 at McConnell Springs Park, Fayette, 10 September (TL, NB); 1 at John James Audubon SP. Henderson, 13 September (JM); 1 at Floracliff SNP, Favette, 16 September (DB); and 1 at the Jenny Hole Unit Sloughs WMA, Henderson, 10 October (JM).
- Barn Owl there were three reports: nesting birds continuing from summer into mid-August s. of Feliciana, Graves (MC); 1 at Sullivan WMA, Franklin, 14 August (JSo); and 1 s. of Carlisle, Nicholas, 23 August (ph. BM fide JBa).
- Short-eared Owl there were only two reports: 1 along Mercer Cemetery Road. Muhlenberg, 9 November (TG, SG) and 1 at Sinclair 23 November (P&SF).
- Northern Saw-whet Owl it was another below-average year for the species with only 8 new birds banded at Surrey Hills Farm 7-22 November (MMo et al.).
- Chimney Swift 2 over Douglass Hills 13 October (BY, MY) were the latest to be reported.
- Ruby-throated Hummingbird not many birds lingered into October with 2 n. of Glasgow, Barren, 18 October (LCr); 1 at Lexington to 21 October (MSu); 2 at Murray to 20 October with 1 last seen there 22 October (ME); and 1 near Walton, Kenton, 23 October-14 November (ph. LH) being the latest to be reported.
- Black-chinned Hummingbird an imm. male was present ne. of Pottertown, ne. Calloway, 28 October into late December (banded 6 November) (ph. TG, CR, ba. BPa, et al.).
- Rufous Hummingbird there was only one report: an imm. female at Murray 21 November into December (banded 24 November) (ME, ba. BPa).
- Yellow-bellied Sapsucker 1 at the Highand Creek Unit Sloughs WMA, Union, 19

September (KM) was the earliest to be reported.

- Binns Mill Road, Christian, 23 October Merlin there were nearly two-dozen reports! A particularly early bird at Caperton Swamp 26 August (ph. JBa), 1 at Minor Clark 12 September (ph. JT); 1 at Morgan Conservation Park, Oldham, 13 September (ph. BDa), 1 at Camp #11 on 14 September (ph. BPa); and 1 at the Long Creek Refuge, LBL, Trigg, 16 September (HC) were the earliest to be reported. Other reports of single birds originated from the following counties 22 September-21 November (mostly eBird data): Allen (JBy, MBy), Fayette (LCo, DSv), Franklin (JSo), Jefferson [6] (RLa et al./ MMo et al./BPa, ph. PS/MMo, DSv, LCo, et al./MY, BY/RFa), Lincoln (RD), Logan [3+] (ph. ST/ph. FL/JH), Madison (DB, JSu), Marshall (JP), Muhlenberg [2] (TG, SG/TG, SG), Pendleton (BDi), Rowan (RLe), Shelby (TS), Todd (JH), Union (BPa), and Warren (2 together) (TD).
 - Peregrine Falcon reports of birds not near known nesting territories included 1 at Schochoh, Logan, 6 September (ST); 1 nw. of Powderly 16 September (TG); 1 at the Dry Creek Unit 20 September (LCr, ph. TBe, KOS); singles at Minor Clark 26 September/2 October (RD, RBn, et al./ RLe); singles se. of Mt. Zion, Allen, 29 September/15 October (JBy, MBy); 1 at Taylorsville Lake SP, Spencer, 30 September (RD); 1 at Cedar Creek Lake 30 September (RD); 1 over Douglass Hills 30 September (MY, BY) with 3 different migrants over the same locale 1 October (MY, BY); singles along Old Pumphouse Road, Pulaski (RD), and at Owsley Fork Lake, Jackson (ph. RFo, RBa), both 3 October; 1 at Spindletop Farm 11 October (DSv, LCo); 1 along Pleasant Hill Church Road, Trigg, 12 October (BL); 1 at Ky Dam 26 October/12 November (JP); and 1 at Guthrie Swamp, Todd, 19 November (JH).
 - Olive-sided Flycatcher there were reports from eight locales: an early individual at Beckley Creek Park 14 August (AM et al.); 1 along Potters Creek Road, Cumberland, 18 August (ph. SE, BE); singles nw.

- of Powderly 21/28/31 August & 3 September (SG, TG/SG, TG/ph. SG, TG, et al & TG, ph. SG); 1 at Pope Lick Park 29 August (PB, JBe, ph. TL, BBC); singles on the Anchorage Trail 25 August & 2/3/4 September (CBs, ph. JBa, PB, JBe & TBa/TBa, JBe, PB/JSo); 1 at Reservoir Knob, *Pulaski*, 5 September (ph. RD); 1 at Hisle Farm Park, *Fayette*, 10 September (TL); and 1 at Caperton Swamp 13 September (ph. JBa).
- Eastern Wood-Pewee singles along Binns Mill Road, *Christian*, 22 October (SB); on the Anchorage Trail 22 October (JG); and at Turkey Run Park, *Jefferson*, 23 October (AM, BPi) were the latest to be reported.
- Yellow-bellied Flycatcher there were reports from nine locales: singles at Surrey Hills Farm 25/31 August (BPa/CBs, BPa); 1 at McConnell Springs Park, *Fayette*, 29 August (DLa, SH); singles on the Anchorage Trail on six dates 31 August–21 September (JBe, PB, TBa, JWh, et al.); 1 at Sinclair 7 September (TG, SG); 1 nw. of Powderly 14 September (TG, SG); 2 at Douglass Hills 15 September (ph. MY, BY); 1 at Caperton Swamp 21 September (JBa); and singles at Yatesville Lake WMA, *Lawrence* (RLe) and at Logan Hubble Memorial Park, *Lincoln* (RD), both 23 September.
- Great Crested Flycatcher singles at the Lexington Cemetery (NB) and at E.P. Sawyer SP, *Jefferson* (CBo, BBC), both 26 September, were the latest to be reported.
- White-eyed Vireo 1 at Surrey Hills Farm 6-7 November (MWa, BPa, ph. SG, et al.) was particularly tardy.
 Red-breasted Nuthatch there were only two reports: 1 at Doug Travis WMA
- **Bell's Vireo** reports of interest included 1 at Berea, *Madison*, 25 August (RBa, ph. RFo) that represented the farthest east the species has ever been reported in the state; and 1 w. of Greenville 8 September (TG, SG).
- Yellow-throated Vireo singles at Brown Park, *Jefferson*, 10 October (RBt) and at South Shore WMA, *Greenup*, 14 October (RLe) were the latest to be reported.

- **Blue-headed Vireo** 1 at Louisville Champions Park 7 November (SW) was the latest to be reported.
- Philadelphia Vireo 1 at Mt. Zion, Pulaski, 16 August (†RD) represented a new early fall arrival date for the state by ten days; next earliest was at least 1 on the Anchorage Trail 2 September (PB, JBe).
- **Red-eyed Vireo** 1 at the Lexington Cemetery 14 October (DLa) was the latest to be reported.
- Fish Crow as has become the norm, a few lingered at Ky Lake, *Marshall*, particularly at Jonathan Creek, into late November (m. ob.) with 2 still there 30 November (MMi); 1 was heard at Ballard WMA 5 November (SRc).
- **Common Raven** 2 were present at Paintsville Lake WMA, *Morgan*, 7/9 November (*fide* SF/SF).
- Northern Rough-winged Swallow 16 at Mitchell Lake, Ballard WMA, 19 October (RD) were the latest to be reported.
- Purple Martin roost counts included thousands near Nicholasville, Jessamine, 9 August (JWi); ca. 2000 at Lexington 9 August (SF); and ca. 2000 s. of Ashland, Boyd, 16 August (SF). One at Cedar Creek Lake 9 September (RD, PG) was the latest to be reported.
- **Tree Swallow** 3 at Jonathan Creek 6 November (BPa, BW, RFa) were the latest to be reported.
- **Cliff Swallow** 2 at Horseshoe Road 14 September (BPa, CC) were the latest to be reported.
- Red-breasted Nuthatch there were only two reports: 1 at Doug Travis WMA, *Carlisle*, 19 October (RD) and 1 at Lloyd WMA, ne. *Grant*, 20 November (FR).
- **Brown-headed Nuthatch** at least 6 remained at the 2013 nesting location at Ky Dam Village through the season (m. ob.) with at least 7 counted there 6 November (BPa, BW, RFa).
- House Wren singles near Ano, *Pulaski*, 13 November (RD) and on the Anchorage Trail 30 November (JWh) were tardy.

- Winter Wren 2 on the Anchorage Trail 26 September (JBe, PB, JG) were the earliest to be reported.
- Sedge Wren there were reports from seven locales: 2 at Sandy Watkins Park, *Henderson*, 12 August (CC); 6 continuing on territory at Camp #11 into mid-August (BPa et al.) with at least 3 still there 10 September (BPa, JBa); 1 w. of Greenville 21 September (TG, SG); 1 at the Beaumont Preserve, *Fayette*, 26 September (RO); 1 at Melco 27-29 September (BPa, ph. PS, et al.); 1 at Caperton Swamp 30 September (RFa); and 2 at Surrey Hills Farm 8 October (BPa) with 3 there 10 October (ph. BPa) and 1 continuing there to 19 October (BPa).
- Marsh Wren reports of interest included 1 nw. of Powderly 31 August (TG, SG); singles at Surrey Hills Farm on a few dates 15 September–10 October (BPa) with 2 there 11 October (BPa); 1 at Yatesville Lake WMA, *Lawrence*, 23 September (RLe); 2 at Spindletop Farm 10 October (DLa, ASK, et al.); and a relatively tardy bird at Sauerheber to 30 October (CC).
- Ruby-crowned Kinglet 1 on the Anchorage Trail 23 August (TBa, JSo, et al.) was extremely early; next earliest was 1 at Highland Cemetery, *Kenton*, 15 September (DN).
- Veery singles at Mt. Zion, Pulaski, 30 August (RD) and se. of Mt. Zion, Allen, 31 August (MBy, JBy) were the earliest to be reported; 1 along Rock Lick Creek Road, n. Pulaski, 4 October (RD) was the latest to be reported; a tally of 3 se. of Mt. Zion, Allen, 6 September (MBy, JBy) was exceptional for this uncommon fall migrant.
- **Gray-cheeked Thrush** singles se. of Mt. Zion, *Allen*, 27/31 August (JBy, MBy) established new early fall arrival dates for the state by a few days; next earliest was 1 along the Anchorage Trail 5 September (ph. RFa).
- *Catharus* spp. of particular interest were some nocturnal flight note surveys conducted by Ray Bontrager at Guffey Moun-

tain, *Wayne*, during the season; particularly heavy thrush flights were detected on the nights of 29-30 September, 30 September-1 October, and 8-9 October with the following high counts: 50 Swainson's Thrushes, 6 Gray-cheeked Thrushes (29-30 Sep); 300 Swainson's Thrushes, 150 Gray-cheeked Thrushes, 5 Veeries (29 Sep–1 Oct); and 35 Swainson's Thrushes, 10 Gray-cheeked Thrushes (2-3 Oct).

- **Gray Catbird** singles at Pope Lick Park 25 October (JWh); along the Anchorage Trail 4 November (JBe, PB); and at the Little Lick Rec. Area, *Pulaski*, 5 November (RD, SDe) were the latest to be reported.
- American Pipit 2 at Beckley Creek Park (TBa) and 1 at Minor Clark (DM), both 21 September, were the earliest to be reported.
- Cedar Waxwing 150 at Highland Cemetery, *Kenton*, 17 September (DN); 150 at Elizabethtown, *Hardin*, 27 September (CS); 172 at Bernheim Forest 8 October (BF, BBC); 150 on the Anchorage Trail 12 October (JBe, PB); and 180 at Green River Lake SP, *Taylor*, 27 November (RCa, RBi) represented the peak counts for the season.
- Lapland Longpsur 1 at Melco with American Pipits 23 October (BPa), and singles heard there and at Surrey Hills Farm (BPa), both 14 November, were the earliest to be reported.
- **Ovenbird** 1 on the Anchorage Trail 14 October (PB, JBe) was the latest to be reported.
- Golden-winged Warbler it was a good season for the species with reports on more than forty occasions 25 August–30 September (mostly eBird data); reports of interest included 4 at Surrey Hills Farm (BPa) and 2 on the Anchorage Trail (PB, JBe, CBs, et al.), both 25 August; 3 on the Anchorage Trail 10 September (CBs, PB, JBe, et al.); 2 at Iroquois Park 12 September (BPa, CBs); and 7 se. of Mt. Zion, *Allen*, one day in mid-September (MBy).
- **Blue-winged Warbler** 4 were at Surrey Hills Farm 25 August (BPa).

- Creek Unit (BPa, TS, TQ, JSo) and at the Highland Creek Unit Sloughs WMA, Union (KM), both 19 September, were the Northern Parula – 1 at the Lexington Cemlatest to be reported.
- Tennessee Warbler 3 on the Anchorage Trail 22 August (JBe, PB, CBs) were the earliest to be reported; singles along Snipes Creek, Calloway, 3 November (DSi) and along Pleasant Church Hill Road, Trigg, 6 November (BL) were the latest to be reported.
- Orange-crowned Warbler it was an excellent season for the species with nearly forty reports 17 September-late November (mostly eBird data); reports of interest included 2 below Barkley Dam 3 November (BL) and at least 2 at Surrey Hills Farm 7-9 November (BPa et al.) with 1 continuing into early December (BPa, ph. PS).
- Nashville Warbler an exceptionally early individual on the Anchorage Trail 9 August (PB) established a new early fall arrival date by nearly a week; next earliest was 1 at Cherokee Park 30 August (JBa, BBC).
- Connecticut Warbler there were three reports: 1 on the Anchorage Trail 23 August (†PB, JBe, †CBs) that established a new fall arrival date for the state by five days; 1 at Figetts Bend, Hart, 5 September (†JSo); and 1 at Freeman Lake, Hardin, 25 September (†JSn).
- Mourning Warbler it was a good season for the species with reports from eight locales; singles on the Anchorage Trail on at least seven occasions 23 August-1 September (m. ob.); 1 w. of Greenville 27 August (TG); 1 at Shawnee Park, Jefferson, 6 September (CBs, BBC); 1 at Sledd Creek 11 September (HC); 1 at Reservoir Knob, Pulaski, 20 September (RD); 1 e. of Crestwood, Oldham, 22 September (RFi); 1 at Beargrass Creek SNP, Jefferson, 23 September (JBa); and 1 at Beckley Creek Park 24 September (JBa).
- **Common Yellowthroat** 1 at the Garvin Brown Preserve, Jefferson, 11 November (JWh) was particularly tardy.

- Prothonotary Warbler singles at the Dry Cerulean Warbler a very tardy migrant was reported at Mammoth Cave 20 September (†LCr, SM, GW).
 - etery 14 October (ph. DLa) was the latest to be reported.
 - Bay-breasted Warbler singles at Guthrie Swamp, Todd, 15 October (JH) and at Central Kentucky Wildlife Refuge, Boyle, 17 October (SP) were the latest to be reported.
 - Blackburnian Warbler 1 on the Anchorage Trail 2 August (PB, JBe) established a new fall arrival date for non-breeding areas by four days; next earliest were another on the Anchorage Trail 14 August (JBe, PB) and 1 in w. Franklin 15 August (JSo).
 - Yellow Warbler singles at Minor Clark 2 October (RD) and at Melco 8 October (BPa, TQ) were the latest to be reported.
 - Blackpoll Warbler it was a good season for the species, in part due to a late September weather system that pushed more birds farther west than normal: 1 in se. Jefferson 21 September (TBa); 1 at Melco 27 September (JWh, BPa); at least 1 at Louisville 25 September (ph. JDw); 1 at Bryan Station Farm, Fayette, 1 October (ph. TN); 1 at Caperton Swamp 4 October (ph. RFa); 1 at Summit, Boyd, 6 October (RLe) with 2 there 7 October (RLe); 1 along Bastin Creek Road, Casev, 7 October (RD, SDe); 1 ne. of Verona, Boone, 8 October (ph. JT); and singles at Douglass Hills 10/11 October (ph. MY, BY).
 - Black-throated Blue Warbler it was an excellent season for the species with a dozen reports 10 September-7 October (mostly eBird data). Reports of interest included 1 at Sinclair 10 September (TG, SG); 1 at Reservoir Knob, Pulaski, 20 September (RD); 1 at Beckley Creek Park 22 September (AM, BPi); 1 at Waddy, Shelby, 23 September (TS); 2 at Yatesville Lake WMA, Lawrence, 23 September (RLe); 1 at Mammoth Cave 24 September (JSo); 1 at LBL, Trigg, 26 September (BL); 1 in se. Jefferson 30 September (TBa); singles at McConnell

Springs Park, *Fayette* (DSv, LCo), and off Harmon Hollow Road, *Wayne* (ph. RBn), both 5 October; 1 at Douglass Hills 6 October (BY, MY); and 1 at Summit, *Boyd*, 6-7 October (RLe).

- Palm Warbler 1 at Logan Hubble Memorial Park, *Lincoln*, 9 September (RD, PG) was the earliest to be reported.
- Yellow-rumped Warbler singles on the Anchorage Trail 19 September (TBa, BBC) and at the Dry Creek Unit (LCr, KOS), at Sauerheber (CC), and at Bernheim Forest (SDi), all 20 September, were the earliest to be reported.
- Yellow-throated Warbler 1 at Beckley Creek Park 18 October (PB, JBe, BBC) was the latest to be reported.
- Prairie Warbler singles at Melco 1 October (BPa), at Pope Lick Park 4 October (JWh), and a particularly tardy bird at Surrey Hills Farm 6 November (ph. PS) were the latest to be reported.
- **Black-throated Gray Warbler** an imm. female was at Surrey Hills Farm 4 November into December (ph. BPa et al.). KBRC review required.
- **Black-throated Green Warbler** 1 at the Jenny Hole Unit Sloughs WMA, *Henderson*, 24 August (CC) was the earliest to be reported away from known breeding areas.
- **Canada Warbler** 1 on the Anchorage Trail 18 August (JBe, PB) was the earliest to be reported away from known breeding areas.
- Wilson's Warbler 1 on the Anchorage Trail 22 August (CBs, JBe, PB) was the earliest to be reported; 1 w. of Greenville 3 November (TG) was exceptionally late.
- Yellow-breasted Chat 1 at Clarks River NWR, *Marshall*, 26 September (JP) was the latest to be reported.
- American Tree Sparrow 1 at Cox's Park, Louisville, 21 November (BPa) was the earliest to be reported.
- Vesper Sparrow 1 at Beckley Creek Park 9 October (JBa) was the earliest to be reported; 2 at the Long Point Unit Reelfoot

NWR, *Fulton*, 11 November (DP) were the latest to be reported.

- **Savannah Sparrow** 1 at Horseshoe Road 13 September (CC) was the earliest to be reported.
- **Grasshopper Sparrow** 3 at Spindletop Farm 17 October (ph. DLa, ASK) and a particularly tardy individual n. of Dot, *Logan*, 11 November (ph. FL) were the latest to be reported.
- **Henslow's Sparrow** 1 at Surrey Hills Farm 25 October (BPa et al.) was the latest to be reported.
- Le Conte's Sparrow 2 at Sauerheber 17 October (BPa, BBC) were the only ones reported.
- Nelson's Sparrow there were two reports: 1 at Hays Kennedy Park, *Jefferson*, 7 October (ph. JBa et al.); and 2 at Spindletop Farm 17 October (SH, ph. DLa, ASK) with at least 1 still there 18/19 October (DLa/DLa, DSv, LCo).
- Fox Sparrow 1 at Beckley Creek Park 15 October (PB, JBe); 1 at Lake Cumberland WMA, *Pulaski*, 16 October (RD); and 1 se. of Mt. Zion, *Allen* (MBy) and 3 at Sauerheber (BPa, BBC), both 17 October, were the earliest to be reported.
- White-throated Sparrow 1 at Caperton Swamp 22 September (ph. RFa) and 4 at Doe Run Park, *Kenton*, 30 September (DM) were the earliest to be reported.
- Lincoln's Sparrow 1 at Sauerheber 20 September (ph. CC) and 2 on the Anchorage Trail (JBe, PB, JG) and 1 at Lake Cumberland WMA, *Pulaski* (RD), both 22 September, were the earliest to be reported. One at Sandy Watkins Park, *Henderson*, 3 November (CC) was the latest to be reported.
- Swamp Sparrow 1 on the Anchorage Trail 22 September (PB, JBe, JG) was quite early; next earliest were 4 at Sauerheber 28 September (CC).
- **Dark-eyed Junco** a well-marked male *J. h. oreganus* was present at Douglass Hills 26 October into mid-November (ph. BY, ph. MY).

- October (JSo) and a particularly tardy individual at LBL, Trigg, 28 October Purple Finch - 4 at Berea, Madison, 12 (AY) were the latest to be reported.
- Scarlet Tanager singles at Cherokee Park 14 October (KB), and at Beckley Creek Park (PB, JBe, BBC) and se. of Mt. Zion, Allen (MBy), both 18 October, were the latest to be reported.
- Rose-breasted Grosbeak 1 at Beckley Creek Park (CBs, JBa), 1 on the Anchorage Trail (JG), and 2 at Cherokee Park (NB), all 21 October, and 1 w. of Greenville 23 October (TG) were the latest to be reported.
- **Blue Grosbeak** 1 at Beckley Creek Park 15 October (JBe, PB) was the latest to be reported.
- Indigo Bunting singles at A.J. Jolly Park, Campbell (JT), at Surrey Hills Farm (BPa), on the Anchorage Trail (JBe, PB), and at Pope Lick Park (JWh), all 25 October; and a particularly tardy individual nw. of Powderly 3 November (TG) were the latest to be reported.
- Dickcissel 1 at Beckley Creek Park 24 September (JBa); 1 n. of Dot, Logan, 17 October (FL); 2 at Sauerheber 17/23 October (BPa, ph. MY, BBC/ph. CC); and 1 at Schochoh, Logan, 1-7 November (ph. ST) were the latest to be reported.
- Bobolink reports of interest included at least 35-40 at Horseshoe Road 10-17 September (CC, BPa, JBa); singles at Pope Lick Park 3 October (AM) and at Cherokee Park 8 October (ph. JBa et al.); 5 at Spindletop Farm 10 October (DLa); and 1 at Beckley Creek Park 18 October (PB, JBe, BBC).
- Western Meadowlark 1 was at Camp #11 on 15 October (BPa, ph. JBa, CC).
- Brewer's Blackbird 1 heard and seen as it passed over Jonathan Creek 6 November (BPa, BW, RFa) was the only one reported.

- **Summer Tanager** 1 in w. Franklin 15 **Orchard Oriole** 1 at Melco 5 September (JWh) was the latest to be reported.
 - October (RFo, RBa) and 1 heard over the Falls of the Ohio 23 October (BPa) were the earliest to be reported.
 - Common Redpoll quite extraordinary was 1 sw. of Hubble, Lincoln, 27 November (ph. JE). KBRC review required.



27 November 2015 Jackie Elmore

- Pine Siskin 2 at Surrey Hills Farm 5 October (BPa) and 1 at Bernheim Forest 8 October (BF, BBC) were the earliest to be reported; small numbers continued at scattered locales statewide through the month and into November; 39 at Jonathan Creek 6 November (BPa, BW, RFa) represented the peak count for the season.
- American Goldfinch up to 300 at Surrey Hills Farm during the last week of October (BPa) represented the peak count for the season.

Erratum to the Fall 2014 Report:

Great Blue Heron (white morph) - the individual at the Long Creek Refuge, LBL, Trigg, was photographed 13 November, not 14 November (corrects date given in The Ky Warbler 91:6).

Observers: Dale Adams (DA), Jim Arnett (JA), Audubon Society of Kentucky (ASK), Jamie Baker (JBa), Thom Barnell (TBa), Rebecca Bates (RBa), Jamin Beachy (JBy), Makaya Beachy (MkB), Marena Beachy (MrB), Matthan Beachy (MBy), Colleen Becker

Vol. 92

(CBe), Tom Becker (TBe), Beckham Bird Club (BBC), Jane Bell (JBe), Pat Bell (PB), Sarah Bell (SB), Carol Besse (CBs), Robert Biller (RBi), Carl Bochmann (CBo), Karen Bonsell (KB), Ray Bontrager (RBn), Rod Botkins (RBt), Nancy Braun (NB), Dustin Brewer (DB), John Brunjes (JBr), Ron Carrico (RCa), Hap Chambers (HC), Allen Chartier (AC), Cincinnati Bird Club (CBC), Marta Coleman (MC), Lisa Combs (LCo), Sam Corbo (SC), Linda Craiger (LCr), Charlie Crawford (CC), Rodney Crice (RCr), Brian Davis (BDa), Brenda Dean (BDe), Jen DeLeeuw (JDw), Julie Denton (JDn), Roseanna Denton (RD), Steve Denton (SDe), Barb Dickison (BDi), Scott Dickman (SDi), Tom Durbin (TD), Melissa Easley (ME), Jackie Elmore (JE), Benjamin Ewing (BE), Samuel Ewing (SE), Rand Falls (RFa), Richard Fischer (RFi), Preston & Shari Forsythe (P&SF), Rob Foster (RFo), Scott Freidhof (SF), Bill Friel (BF), Judy Galitzine (JG), Teresa Gemeinhardt (TG), Pamela Graber (PG), Steve Graham (SG), Teresa Graham (TG), Joe Hall (JH), Stratton Hatfield (SH), Lana Havs (LH), Eddie Huber (EH), Terry Hudson (TH), Kentucky Ornithological Society (KOS), John Krull (JK), Rob Lane (RLa), David Lang (DLa), Dick Lee (DLe), Marjorie Lehman (MLe), Roger Lemaster (RLe), Bill Lisowsky (BL), Charlie Logsdon (CL), Terri Lusk (TL), Mikey Lutmerding (MLu), Frank Lyne (FL), Don Martin (DM), Andrew Melnykovych (AM), John Meredig (JM), Keith Michalski (KM), Mike Miller (MMi), Brad Mills (BM), Mark Monroe (MMo), Sandra Moss (SM), multiple observers (m. ob.), Tina Nauman (TN), Dave Novitski (DN), Ronan O'Carra (RO), Brainard Palmer-Ball, Jr. (BPa), Sydney Penner (SP), Bill Pike (BPi), Constance Powell (CP), Joshua Powell (JP), Phil Powell (PP), Dick Preston (DP), Tommy Quarles (TQ), Scott Record (SRc), Spencer Reinhard (SRn), Frank Renfrow (FR), Cynthia Routledge (CR), Tanner Shepard (TS), Damien Simbeck (DSi), Jennifer Snyder (JSn), Jeff Sole (JSo), Pam Spaulding (PS), Matt Stickel (MSt), Ruben Stoll (RS), Christine Stoughton (CS), Del Striegel (DSt), Josh Suich (JSu), Marie Sutton (MSu), Dave Svetich (DSv), Jeff Tingle (JT), Mark Tower (MT), Stephen Tyson (ST), Grace Walker (GW), Major Waltman (MWa), Sean Ward (SW), James Wheat (JWh), Jim Williams (JWi), Mike Wright (MWr), Brian Wulker (BW), Ben Yandell (BY), Mary Yandell (MY), Aviva Yasgur (AY).

- 8207 Old Westport Road, Louisville, KY, 40222 (brainard@mindspring.com) (Palmer-Ball) and P.O. Box 463, Burlington, KY, 41005 (lkmc9@aim.com) (McNeely).

CHRISTMAS BIRD COUNT 2015-2016

Blaine R. Ferrell

Reports of 30 counts were received from across the Commonwealth. A total of 136 species was recorded on count days, with two additional species (Long-tailed Duck and Red-throated Loon) added by observations during count weeks. Twenty species were observed on all counts and 19 species were observed on only one count.

Temperatures during the count period were approximately 10-12°F warmer than temperatures during last year's count period according to the state climatologist. Temperatures ranged from a low of 22°F at Paradise on January 3rd to a high of 70°F at Hart County December 13 and at West Allen County on December 26th. The average low temperature was 47°F and the average high temperature was 53°F. The number of waterfowl was down in general. The number of Red-breasted Nuthatches remained as low as last year. Purple Finches increased in number again this year. Due to varying weather conditions and food availability from year to year, it is difficult to determine trends in numbers and species. Interesting observations this year, partially due to lingering species resulting in part from the warmer weather, included Cackling Goose (2, Louisville), Mute Swan (1, Shelbyville), Blue-winged Teal (1, Frankfort), Green Heron (1, Cumberland Falls), Rough-legged Hawk (1, Elkton), Golden Eagle (1, Elkton), Virginia Rail (1, Paradise), Western Sandpiper (2, Land Between the Lakes), Spotted Sandpiper (1, Frankfort), Lesser Black-backed Gull (4, Land Between the Lakes), Short-eared Owl (1, Paradise), Black-chinned and Rufous Hummingbirds (1 each, Calloway County), Fish Crow (4, Land Between the Lakes), Brown-headed Nuthatch (1, Land Between the Lakes), Marsh Wren (1, Paradise), Orangecrowned Warbler (1, Ballard County; 2, Elkton; 2, Louisville), American Redstart (1, Somerset), Vesper Sparrow (1, W. Allen County), and LeConte's Sparrow (2, Ballard County).

Thanks to the many observers who participated in this year's count and to compilers who submitted count results on the appropriate forms. Also, thanks to compilers who submitted documentation for unusual species to the editor and to the Kentucky Bird Records Committee (KBRC). Records of species unusual for the count do not constitute official records until reviewed by the KBRC.

Ballard County (all points within a 15-mile diameter circle, center at jct. KY 358 and Stove Corner Road; 37.12284 N, -088.9518 W). Habitat as described in 1984. Dec. 22; 5:30 a.m. to 5:00 p.m. CST. Cloudy; temp. 46° to 54° F; wind E 5-10 m.p.h. Water open.

Five observers in one to two parties. Total party hours: 16 (7 on foot, 9 by car). Total party miles: 82 (4 on foot, 78 by car). Hours owling: 1.0. Total species 87; 15,277 individuals.

Observers: Steve Graham, Teresa Graham, Eddie Huber, Glen Lovelace, and Brainard Palmer-Ball, Jr. (compiler).

The day was cloudy, with afternoon haze and fog limiting visibility. The species total (87) was a bit below average for this count. Numbers of all geese were low and only 12 species of waterfowl were detected. Highlights included 12 Least Sandpipers, at least 150 Wilson's Snipe, 20 Brown Thrashers, an Orange-crowned Warbler, at least three Pine Warblers, two Le Conte's Sparrows, a few Purple Finches, and a flock of at least 55 Pine Siskins. Red-headed Woodpeckers were present in good numbers in the bottomland forests, but again this year we did not spend much time in that habitat to tally a large number. We also again missed several uncommon species that we often get including American Woodcock, Lapland Longspur, and Brewer's Blackbird. Natural food supplies did not appear to be very abundant.

Calloway County (all points within a 7.5-mile radius circle, center Douglas Cemetery; 36.5984°, -088.1958°). Habitat: 20% lake shoreline and streams, 35% open fields, 30% residential, and 15% deciduous and pine woods. Jan 4; 6:30 a.m. to 4:30 p.m. Sky cloudy to partly cloudy; temp. 29-35°F; wind N, 13-25 m.p.h.

Ten observers in five parties. Total party-hours 25.5 (6.0 on foot, 19.5 by car). Total party-miles 151.7 (5.0 on foot, 146.7 by car). Total species 74; total individuals 16,752. Kentucky Lake was flooded and all bays and shorelines were under water.

Observers: Hap Chambers (compiler), Kathy Cohen, (Melissa Easley- feeder watcher), Teresa Gemeinhardt, Bob Head, Mike Miller, Josh Powell, Katie Powell, John Powell, Darrin Samborski and Aviva Yasgur.

Kentucky Lake was above flood stage, and the shoreline and bays were difficult to access. The lake was approximately 10 feet over winter pool. Wind gusts, flooding debris, and white caps made it difficult to see and count waterfowl. Species numbers were below what they were the day prior to the count.

Land Between the Lakes (all points within a 7.5-mile radius circle, center Pisgah Creek, one-quarter mile w. of The Trace; 36.9333°, -088.1167°; also extended to include Jonathan Creek embayment). Habitat as described in 1984 in *American Birds*. Dec. 19; 6:00 a.m. to 4:30 p.m. Sky sunny and clear; temp. 29-49°F; wind, SW 0-6 m.p.h. Weather in the region for a few weeks prior to the bird count was unseasonably warm (many days of above-average temperatures, some even breaking long-standing record highs).

Thirty-eight observers in eleven parties. Total party-hours 63 (32 on foot, 31 by car). Total party-miles 301.4 (15.7 on foot, 285.7 by car). Total species 90; total individuals 7,313.

Observers: Dan Allison, Ellen Bravard, Shannon Brockway, Arriane Byrum, Hap Chambers, J. David Chiles, Cameron Cooper, Kim Cooper, Melodie Cunningham, Sharon East, Blue Eubanks, Karen Fitzgerald, Preston Foote, Jan Gray, Krista Hardy, Gabe Holcomb, Jaden Holcomb, Noah Holcomb, Patrick Holcomb, Stephanie Holcomb, Tim Johnson, Kimberly Lilly, Monica Main, Marian Martin, Chris Nelson, Christi Nelson, Emma Nelson, Marilyn O'Bryan, Bob Peak, John Pollpeter, Colin Priest, Andy Radomski, Elizabeth Raikes, Darrin Samborski, Mycah Scoggins, Tammie Smith, Anita Spaulding, and Aviva Yasgur (compiler).

With such a mild winter leading up to this year's Christmas Bird Count, we were unsure what to expect this year. It had seemed like we had not been seeing as many winter birds as we usually do by this time of year, and the results of the count confirmed these impressions. Although we did total 90 species, which is not too far off the average for the Land Between the Lakes count, the number of individuals of many typical winter visitors such as Dark-eyed Junco, White-throated Sparrow, Hermit Thrush, and Canada Goose were low. We also recorded low numbers for quite a few of our year-round residents, including Northern Mockingbird, Carolina Wren (lowest number ever for this count), Eastern Towhee, and even European Starling (although we're fine with a low count for that one!) Also, our overall total number of individuals was below average, at only 7313 individuals.

On a different note, this year's count did include some interesting and noteworthy sightings, such as 2 immature Black-crowned Night Herons, 53 Common Loons, 58 Least Sandpipers (a very high number for this count), 2 Western Sandpipers, 4 Fish Crows, and a Brown-headed Nuthatch. The Brown-headed nuthatches have been well-documented in this area for several years, but have never been observed on the Christmas Bird Count. Similarly, we have been noticing more and more Fish Crows during the nesting season in the area, but have not picked them up on this count before. And those numbers for the Common Loon and Least Sandpiper were very high counts!

Of course, the Christmas Bird Count can't happen without people to do the counting, and a big highlight for us this year was the large number of participants. 38 people participated in our count this year, more than any year in recent history. This number includes three families with school-aged children as well as the more usual adult birders. We had quite a few newcomers who joined us for the first time, expressing an interest in getting more involved with birding. This was fantastic to see, and we hope to see more of it in the years to come! Thanks to everyone who participated in this year's count in Land Between the Lakes, where's it's a never a bad day for birding!

Sorgho (all points within a 7.5-mile radius circle, center Hwy. 279-S and Audubon Parkway intersection; 37.76297°, -087.23086°). Habitat farmland, river, creeks, river bottoms, urban parks and county parks. Jan. 1; 8:00 a.m. to 3:30 p.m. Sky sunny; temp. 28-36°F; wind W 3-15 m.p.h. River overflowing and some roads closed, several fields flooded.

Fifteen observers in nine parties. Total party-hours 30.0 (8.5 on foot, 21.5 by car). Total party-miles 207 (10 on foot, 197 by car). Total species 58; total individuals 8,540.

Observers: Henry Conner, Brenda Eaden, Tony Eaden, Steve Graham, Teresa Graham, Steve Habus, Mike Henshaw, Janet Howard (compiler), Jim Kimsey, Pam Kimsey, Mary Kissel, Roseanne Radzelovage, Francis Tichenor, Lynn Tichenor, and Carolyn Williams.

Elkton (all points within a 7.5-mile radius circle, center just north of jct. Ky 102 (Allensville Road) and Gardner Road; 36.7605°, -087.10106°). Habitat: 73% agricultural fields, woodland 15%, brushy fencerows 8%, rural areas 2%, small ponds and streams 2%. Dec. 22; 6:30 a.m. to 6:00 p.m. CST. Sky partly cloudy; temp. 48-61°F; wind S 5 m.p.h.

Four observers in three parties. Total party hours 28.0 (15.5 on foot, 12.5). Total party miles 261.0 (12.5 on foot, 233.5 by car). Hours owling 1.0. Total species 83; 32,982 individuals.

Observers: Joe Hall, Ruben Stoll, Alan Troyer (compiler), and Leona Troyer.

Paradise (all points within a 15-mile diameter circle, center at Hopewell Cemetery in southern Ohio County; 37.27755 N, -086.95868 W). Habitat as described in 1993. Jan 3; 5:00 a.m. to 5:00 p.m. CST. Mostly clear; temp. 22° to 46° F; wind NW 5-10 m.p.h. Water mostly open.

Ten observers in five parties. Total party hours: 41.5 (23 on foot, 18.5 by car). Total party miles: 136 (9.5 on foot, 126.5 by car). Hours owling: 1.5. Total species 83; 16,226 individuals.

Observers: Michael Autin, Rand Falls, Steve Graham, Teresa Graham, Eddie Huber, Brainard Palmer-Ball, Jr. (compiler), Matt Stickel, Rebekah Trigg, Barbara Woerner, and Mary Yandell.

The clear, cold, relatively calm conditions were excellent for detecting birds, but unfortunately the number of birds was below average. The species total (83) was below average for this count during recent years, mostly due to the lack of waterfowl diversity. Highlights included four Bald Eagles, three or four flocks of migrating Sandhill Cranes, a Virginia Rail, two Red-breasted Nuthatches, two Marsh Wrens, and a Pine Warbler. Misses included several species of waterfowl, Rough-legged Hawk, Merlin, and Horned Lark. Raptor numbers were again very low this year with only one Short-eared Owl located; one of the Red-tailed Hawks was an adult darkish morph individual that was probably a Harlan's.

Bowling Green (all points within a 7.5-mile radius circle, center Three Springs, six miles south of Bowling Green; 36.9159°, -086.4359°). Habitat: deciduous woods 20%, fields and pastures 60%, and town and parks 20%. Dec. 15; 7:00 a.m. to 4:30 p.m. Sky clear; temp. 43-62°F; wind calm.

Four observers in three parties. Total party-hours 23 (6 on foot, 17 by car). Total partymiles 214.5 (9.0 on foot, 205.5 by car). Total species 77; total individuals 8020.

Observers: Blaine Ferrell (compiler), Wayne Mason, Albert Meier, and David Roemer.

Western Allen County (all points within a 7.5-mile radius circle, center one-half mile west of jct. KY 2136 (Towe Road) and Shores Road; 36.71278°, -086.3469°). Habitat as described in 2012. Dec. 26; 6:00 a.m. to 4:00 p.m.; Sky cloudy with showers in a.m.; cloudy and windy in p.m.; temp. 56-70°F; wind S 1-25 m.p.h. gusts. Some showers occurred throughout the day, no heavy rain.

Twenty observers in nine parties. Total party-hours 42 (7 hours owling). Total partymiles 48 (17 on foot, 31 by horse and buggy). Total species 71, total inidividuals 5557.

Observers: Abraham Brubaker, Amanda Brubaker, Jennifer Brubaker, John David Brubaker (compiler), Matthan Brubaker, Roman Brubaker, Leroy Gingerich, Mahlon Gingerich, Melvin Gingerich, Joanna Habegger, Rosalyn Habegger, Roseann Habegger, Sharon Habegger, Ethan Hoover, Jamin Hoover, Joseph Hoover, Justin Hoover, Matthew Hoover, Philemon Hoover, and Karl Weaver.

Eastern Allen County (all points within a 7.5-mile radius circle, center along Rhoden Creek, 3.0 miles n. of Holland, Ky., Post Office; 36.7426°, -086.06855°). Habitat as described in 2014. Jan. 2; 6:00 a.m. to 5:00 p.m. Sky clear; temp. 21-55°F; wind W moderate.

Sixteen observers in fifteen parties. Total party hours 103. Total party-miles 47(20 on foot, 27 by buggy). Total species 64; total individuals 6448. Two Bald Eagles were seen on the following day.

Observers: Matthew Brubaker, Noah Glick (compiler), Brian Habegger, Jason

Habegger, Louisa Hoover, Suzanne Hoover, Elias Mazelin, Laurence Mazelin, James Sensenig, Judith Sensenig, Cyrus Shirk, Samuel Shirk, Nelson Troyer, Alan Zimmerman, Miriam Zimmerman, and Wilmer Zimmerman.

The number of participants was much lower than usual, resulting in fewer numbers and species. There were only two adults and fourteen children that participated.

Mammoth Cave National Park (all points within a 7.5-mile radius circle, center at Park Headquarters; 37.18644°, -086.1101°). Habitat as described in 1980. Dec. 17; 7:30 a.m. to 5:00 p.m. Sky partly to mostly cloudy; temp. 42-46°F; wind 0-10 m.p.h. Water open; numerous flooded areas from heavy rain previous days.

Three observers in one party. Total party-hours 8.5 (2.5 on foot, 6 by car). Total partymiles 65.0 (2.5 on foot, 62.5 by car). Total species 38; total individuals 349.

Observers: Lisa Dalporto, Blaine Ferrell (compiler), and Albert Meier.

The count started out great, but the weather was so nice the birds were very still and difficult to find after about 10:00 a.m.

Hodgenville (all points within a 7.5-mile radius circle, center at courthouse square in downtown Hodgenville; 37.57375°, -085.74038) Habitat as described in 2011. Dec. 30; 7:45 a.m. to 5:45 p.m.; Sky mostly cloudy with light mist late in the morning/mid-day; temp. 52-39°F; wind NW 10-15 m.p.h., gusting to 25 m.p.h.

Nine observers in two to three parties. Total party-hours 24 (12 on foot, 12 by car). Total party-miles 151 (6 on foot, 145 by car). Total species 71; total individuals 9690.

Observers: Brooks Atherton, Lyn Atherton, Bill Friel, Terri Friel, Doug Gebler, Janet Gebler, Rosemary Meredith, Ross Parker, and Barbara Woerner (compiler)

Otter Creek Park (all points within a 15-mile diameter circle, center just west of the jct. of KY 1238 and Pack Lane, about two miles southwest of the Park entrance; 37.91409 N, -086.069836 W). Habitat as described in 2001. Dec 26; 7:00 a.m. to 5:30 p.m. EST. Cloudy with intermittent light to moderate showers; temp. 49° to 64° F; wind NE-S 5-15 m.p.h. Water open.

Six observers in four to five parties. Total party hours: 35 (16 on foot, 19 by car). Total party miles: 200.5 (7.5 on foot, 193 by car). Hours owling: 0.5. Total species 76; 4937 individuals.

Observers: Michael Autin, Eddie Huber, Charlie Logsdon, Brainard Palmer-Ball, Jr. (compiler), Del Striegel, and Barbara Woerner.

The intermittent showers made birding difficult, but the species total (76) was above average for this count, due in large part to a decent variety of waterbirds on the Ohio River and Doe Valley Lake. Also, various parties' lists seemed to complement those of others well, resulting in few misses of relatively common species. Highlights included a flock of Sandhill Cranes on the ground, Eurasian Collared-Doves at several locales, two Loggerhead Shrikes, a House Wren, two Pine Warblers, and three flyover Lapland Longspurs. Songbirds were relatively scarce in many areas, apparently due to an overall lack of natural food supplies.

Bernheim Forest (all points within a 15-mile diameter circle, center at Forest lookout tower, 2.75 mi. SE of Forest entrance; 37.902405 N, -085.62752 W). Habitat as described in 1974. Dec 27; 8:00 a.m. to 5:30 p.m. EST. Cloudy with intermittent light to moderate rains showers; temp. 68° to 49° F; wind SW-N 0-10 m.p.h. Water open.

Ten observers in six parties. Total party hours: 34 (12.5 on foot, 21.5 by car). Total party miles: 205 (9 on foot, 196 by car). Hours owling: 0.0. Total species 66; 4588 individuals.

Observers: Mary Bill Bauer, Jane Bell, Pat Bell, Dona Coates, Eddie Huber, Jennifer Huber, Brainard Palmer-Ball, Jr, (compiler), Nancy Vance, Kelly Vowells, and Barbara Woerner.

Intermittent showers made birding relatively difficult; in addition, during the midafternoon a front passed, increasing winds and rain while dropping the temperatures, so most birds were found during the first part of the day. The species total (66) was about average for this count for recent years. Highlights of the day included four Bald Eagles, a Pine Warbler, and Chipping Sparrows at three locations. Red-breasted Nuthatches and winter finches (including Purple Finch) were absent. Natural food supplies appeared to be in low supply.

Louisville (all points within a 7.5-mile radius circle, center Jct. hwys 42 and 22; 38.2813°, -085.6348). Habitat as described in 1972. Dec. 20; 7:15 a.m. to 4:30 p.m. Sky partly cloudy to cloudy; temp. 29-54°F; wind S, 9.9 m.p.h. It was misty, foggy and cold.

Forty-two observers in 15 parties. Total party-hours 84.50 (56.25 on foot, 28.25 by car). Total party miles 292 (39 on foot, 253 by car). Total species 87; total individuals 16,330.

Observers: Win Ahrens, Ryan Ankeny, Michael Autin, Jamie Baker, Tom Becker, Pat Bedford, Sherm Bedford, Jane Bell and Pat Bell (compilers), Carol Besse, Wanda Bilkey, Warren Bilkey, Carl Bochmann, Brian Burba, Anne Cabaniss, Mike Callan, Dona Coates, Colleen Craven-Becker, Wes Cunningham, Rod Goforth, Nancy Grant, Chuck Hatten, Bob Johnson, Frank Krull, John Krull, Richard Mayfield, Pat Meyer, Mark Monroe, Brainard Palmer-Ball, Patrice Pittman, Peggy Renn, Michael Riggs, Tim Ritter, Tom Sklodoski, Pam Spaulding, David Stewart, Jack Still, Nancy Vance, Major Waltman, James Wheat, and Barbara Woerner.

With the warm weather this fall our total number of waterfowl was down. There were some lingering warblers, however, including Pine (2), Orange-crowned (2), and Palm (2). An immature Red-headed Woodpecker was seen, which was the first one we have had in many years. New to our list was a Cackling Goose. Thanks to all participants.

Shelbyville (all points within a 7.5-mile radius circle, center three-quarters of a mile s. of US 60 and Guist Creek Lake on KY 714; 38.18997°, -085.14535°). Elevation 640-1190'. Habitat: farmland, fallow land, suburban, wooded and grassland. Jan. 2; 6:30 a.m. to 6:00 p.m. Sky clear. 28-44°F; wind SW, 5-10 m.p.h.

Twenty-three observers in eight parties. Total party-hours 64 (16 on foot, 48 by car). Total party-miles 478 (15G on foot, 463 by car). Total species 57; total individuals 6397.

Observers: Bryan Baker, Horace Brown (compiler), Joan Brown, Sean Brown, Todd Brown, Hunter Geralde, Karin Geralde, Joy Fitzgerald, Kevin Flowers, Marc Harris, Alvin Hershberger, Annannais Hershberger, Rubin Hershberger, Kathy King, Rob Laurenson, Susan Laurenson, Casey McBride, Adam Rayber, Reuben Rayber, Walt Reichart, Thomas Willard, Harry Yoder, and Benton Young.

Hart County (all points within a 7.5-mile radius circle, center corner of Craddock Road and Jaggers Lane; 37.28352°, -085.83795°). Habitat: rural fields and forests; one large (Hundred-Acre) pond, and Green River. Dec. 13; 5:15 a.m. to 5:00 p.m. Sky mostly sunny; temp. 58-70°F; wind, SE, light breeze. Unseasonably warm.

Nine observers in three party. Total party-hours 15 (6 on foot, 9 by car). Total partymiles 109 (4 on foot, 105 by car). Total species 69; total individuals 5106.

Observers: Bonnie Avery, Bruce Bardin, John Brittain, Tom Durbin, Carol Friedman, Janet Kistler, Steve Kistler (compiler), Jeff Sole, and Mitch Sturgeon.

This was a new record for the number of species in the 13th year of this count. Warm weather with a light breeze produced good numbers of raptors.

Nolin River (all points within a 7.5-mile radius circle, center 0.5 miles south of Hilltop, e. Grayson County; 37.38964°, -086.1137°). Habitat: woodland, farmland, river and Nolin Reservoir. Dec. 19; 4:00 a.m. to 4:00 p.m. Sky clear; temp. 30-34°F; wind W, 10 m.p.h.

Six observers in one party. Total party-hours 12 (4 on foot, 8 by car). Total party-miles 104 (1 on foot, 104 by car). Total species 64; total individuals 4159.

Observers: Bruce Bardin, John Brittain (compiler), Carol Friedman, Richard Healy, Janet Kistler, and Steve Kistler.

Almost no waterfowl, including geese, were observed despite all ponds and reservoirs being ice free. Highlights were a flock of nine Palm Warblers, and a record number of Ring-billed Gulls on the reservoir, with two Bald Eagles overlooking the gulls.

Green River Lake (all points within a 7.5-mile radius circle, center Green River Memorial Baptist Church, Taylor Co.; 37.17541°, -085.22041°). Habitat: old fields, agricultural fields and borders, second growth forest, Green River riparian areas, open water, including Green River Lake and Campbellsville City Lake. Dec. 29; 8:00 a.m. to 6:00 p.m. Sky heavy overcast; temp. 45-50°F; wind NW 5-15 m.p.h. After so much rain, ponds, lakes and streams were very high. Green River Lake was up over some parking lots. The ground was soft and muddy.

Six observers in three parties. Total party-hours 18.0 (5.5 on foot, 12.5 by car). Total party-miles 125.75 (4.75 on foot, 121.00 by car). Total species 59; total individuals 4404.

Observers: Lloyd Curry (compiler), Steve Dalton, Robert Doty, Richie Kessler, Carol Sole, and Jeff Sole.

Frankfort (all points within a 7.5-mile radius circle, center jct. US 127 and KY 1900; 38.22612°, -084.85022). Habitat as described in 1977. Dec. 19; 7:45 a.m. to 4:15 p.m. Sky clear; temp. 24-40°F; wind WSW, 7-14 m.p.h.

Twenty-one observers in nine parties. Total party-hours 42.5 (29.5 on foot, 13.0 by car). Total party-miles 101.5 (18.5 on foot, 83.0 by car). Total species 63; total individuals 3667.

Observers: Robert Chadwick, Susan Coblin, Barb Cornett, Peggy Gould (compiler), Ralph Gould, Jeff Jones, Joel Jones, Robert Laurenson, Susan Laurenson, Payton Marlowe, Bryon Marlowe, Rachael Peake, Tommy Quarles, David Schindler, Kerrie Shepard, Tanner Shepard, Edwin Shouse, Mary Shouse, Gary Sprandel, Emily Webb, and Deborah White.

The Blue-winged Teal was a male found at the Game Farm Lake; the Spotted Sandpiper was found at the Pfeiffer Fish Hatchery, where one was present in mid-November.

Kleber Wildlife Management Area (all points within a 7.5-mile radius circle, center at Hensler, Owen Co. 38.4633°, -084.7769°). Habitat as described in 1972. Jan. 2; 7:28 a.m. to 5:03 p.m. Sky clear; temp. 26-39°F; wind SW, 4 m.p.h., to WSW 13 m.p.h

Two observers in one party. Total party-hours 9.5 (6.0 on foot, 3.5 by car). Total partymiles 54.4 (2.0 on foot, 52.4 by car). Total species 37; total individuals 1201.

Observers: Jeff Jones (compiler), and Joel Jones.

One productive area was not accessible due to high water, and another had to be abandoned soon after arrival due to frequent gunfire nearby. Observers were confronted three times by local residents. Despite observing several miles of wooded streams, the Kentucky River and numerous ponds and small lakes, no waterfowl were observed other than two Great Blue Herons and one Kingfisher. The Merlin was observed for at least 15 minutes under ideal lighting conditions by both observers. It was within 200 meters from where we sighted one on this count three years ago. The count was originally scheduled for December 27, but it was postponed due to inclement weather (2.5 in of rain).

(continued on page 32)

Vol. 92

														_
2015–2016 Christmas Bird Count	Ballard County	Calloway County	Land Between the Lakes	Sorgho	Elkton	Paradise	Bowling Green	Western Allen County	Eastern Allen County	Mammoth Cave Nat'l Park	Hodgenville	Otter Creek Park	Bernheim Froest	Louisville
Gr. White-fronted Goose	1080	_	_	_	_	_	2	_	-	_	_	_	_	-
Snow Goose	10	_	_	-	-	wk	-	-	-	-	5	-	-	-
Ross's Goose	_	_	_	-	_	wk	-	-	-	-	-	-	_	-
Canada Goose	40	122	147	10	125	357	256	237	23	_	116	157	102	1559
Cackling Goose	-	_	_	-	_	_	-	_	-	-	-	-	_	2
Mute Swan	-	_	_	_	_	_	_	_	_	_	_	_	_	_
Wood Duck	7	wk	2	2	7	_	2	3	2	_	_	1	_	2
Gadwall	525	wk	68	_	9	167	_	_	_	_	5	3	_	52
American Wigeon	12	wk	8	_	_	_	_	_	_	_	wk	_	_	10
American Black Duck	4	_	_	_	_	2	_	_	_	_	3	_	_	5
Mallard	10000	wk	177	101	318	670	25	2	5	_	100	104	34	552
Blue-winged Teal	_	_	_	_	_	_	_	_	_	_	_		_	-
Northern Shoveler	50	wk	_	_	15	7	_	_	_	_	_	_	_	11
Northern Pintail	30	-		_	-	wk	_	_	_	_	1	_	_	_
Green-winged Teal	30	_	27	_	_	14	_	1	_	_	-	_	_	13
Canvasback	1	_	3	_	_	-	_	-		_			_	-
Redhead	-	8	13	_	_	_	1	_	_	_	_	1	_	4
Ring-necked Duck	208	-	17	_	_	25	-	_	_	_	_	_	_	129
Greater Scaup	- 208	3	15	_	_	-	_	_	_	_	_	_	_	-
Lesser Scaup		120	411	_	_	_	_	_	_	_	_	_	_	25
Bufflehead	-	120	152			6						4		25
	- 4	72	237	-	_	0	-	_	_	_	_	4	_	3
Common Goldeneye				-	_	-	-	-	_	_	-			
Hooded Merganser	1	6	72	-	-	1	51	1	_	_	wk	-	1	82
Common Merganser	-	_	2	-	-	-	-	_	-	_	-	-	-	-
Red-breasted Merganser	-	-	5	-	-	1	-	-	_	-	-	16	-	-
Ruddy Duck	-	11	72	-	-	-	3	-	-	-	5	-	-	-
Wild Turkey	100	44	11	-	81	97	21	105	-	29	80	64	81	11
Northern Bobwhite	1	-	-	-	-	1	28	6	-	-	_	1	_	-
Common Loon	-	3	53	-	_	-	-	_	-	_	_	-	_	-
Pied-billed Grebe	4	4	88	-	1	45	7	1	-	-	2	12	2	5
Horned Grebe	-	16	215	-	_	_	-	_	_	_	_	4		1
Double-cr. Cormorant	-	_	490	-	_	_	-	_	_	_	_	_		32
American White Pelican	-	wk	371	-	-	-	-	_	_	_	_	_	_	_
Great Blue Heron	9	5	94	2	17	5	5	6	9	_	2	1	4	28
Green Heron	-	_	-	-	_	_	-	_	_	_	_	_	_	-
Black-cr. Night-Heron	-	_	2	-	_	_	-	_		_	_	_	_	9
Black Vulture	-	47	55		18	83	18	170	40	_	26	27	103	141

20	1	6
20	T	0

25

201	6				THE	KEr		CKY	WA	KRL	ER					25
Shelbyville	Hart County	Nolin River	Green River Lke	Frankfort	Kleber WMA	Danville	Lexington	Burlington	Falmouth	Warsaw	Russell-Adair County	Somerset	Wayne County	London	Cumberland Falls	Total
_	_				_											1082
wk		5			_						1			_		21
15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
429	5	-	wk	258	-	391	418	370	17	376	150	235	162	132	9	6205
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	4	-	-	-	-	-	-	-	-	-	-	3	3	-	-	38
-	-	-	-	-	-	-	61	1	-	-	9	60	26	4	11	1001
_	_	-	-	-	_	15	2	1	-	-	-	1	-	_	-	49
-	-	-	-	-	-	-	1	4	7	9	-	17	2	-	-	54
105	17	-	138	27	_	72	210	152	18	147	12	143	75	27	34	13265
_	_	-	-	1	_	-	-	-	-	-	-	-	-	_	-	1
16	_	_	-	2	_	-	93	_	_	-	-	2	3	_	_	199
-	_	_	_	_	_	-	_	_	-	_	-	_	_	_	-	31
-	_	_	-	-	_	-	_	_	_	2	-	13	5	_	-	105
_	_	_	-	-	_	2	_	_	_	-	-	_	_	_	_	6
-	_	_	-	-	_	_	_	_	_	-	-	_	_	_	_	27
-	_	_	_	_	_	_	12	_	_	1	3	39	35	_	1	470
1	_	_	-	-	_	_	-	_	_	-	-	-	-	_	_	19
-	_	_	-	-	_	_	_	_	_	-	-	6	_	_	13	569
-	_	2	wk	-	_	_	_	_	_	5	wk	17	9	5	17	262
-	_	_	- WK	-	_	_	_	_	_	-	-	-	_	-	-	323
-	_	_	24	_	_	_	220	4	_	6	2	4	14	_	5	494
-		_	-	_	_	_		-	_	-	_	- T	-	_	-	2
-	_	_	-	-	_	_	1	_	_	-	wk	_	_	_	15	38
-	_	_	5	1	_	9	5	_	_	_	-	1	_	_	-	112
21	41	34	-	47	_	14	28	2	51	_	_	93	38	172	12	1277
-	-	6	_	-	1	-	- 20	_	-	_	_	-		-	-	44
	_	0	3			_	_	_	1	- 1	7	_	_	_	9	77
-		-		-	_											
1	_	4	13	-	_	1	14	-	3	2	5	15	6	8	9 4	252
-	_		41	-	_	-	3	-	-	-	8	2	14			311 528
-	_	-		-	_	-	-	3	-	1	1	-	-	_	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	371
16	4	15	9	31	2	8	46	5	1	6	7	18	4	4	1	364
-	_	-	-	-	_	-	-	-	-	-	-	-	-	_	1	1
-	-	-	-	-	_	-	-	-	-	-	-	-	-	-	-	11
246	20	83	29	260	_	86	154	80	54	54	141	36	52	22	9	2054

Support Support <t< th=""><th></th><th></th><th></th><th></th><th>0.01</th><th></th><th>,</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th>•</th></t<>					0.01		,								•
Bald Eagle 20 8 45 3 3 4 2 - w - 1 </td <td></td> <td>Ballard County</td> <td>Calloway County</td> <td>Land Between the Lakes</td> <td>Sorgho</td> <td>Elkton</td> <td>Paradise</td> <td>Bowling Green</td> <td>Western Allen County</td> <td>Eastern Allen County</td> <td>Mammoth Cave Nat'l Park</td> <td>Hodgenville</td> <td>Otter Creek Park</td> <td>Bernheim Forest</td> <td>Louisville</td>		Ballard County	Calloway County	Land Between the Lakes	Sorgho	Elkton	Paradise	Bowling Green	Western Allen County	Eastern Allen County	Mammoth Cave Nat'l Park	Hodgenville	Otter Creek Park	Bernheim Forest	Louisville
Bald Eagle 20 8 45 3 3 4 2 - w - 1 </td <td>Turkey Vulture</td> <td>_</td> <td>18</td> <td>91</td> <td>9</td> <td>39</td> <td>92</td> <td>49</td> <td>175</td> <td>127</td> <td>6</td> <td>22</td> <td>21</td> <td>39</td> <td>109</td>	Turkey Vulture	_	18	91	9	39	92	49	175	127	6	22	21	39	109
Northern Harrier 3 5 2 22 7 3 1 3 1 1 3 1 1 8 Cooper's Hawk -	Bald Eagle	20	8	45	3	3	4	2	_	wk	_	1	1	4	6
Sharp-shinned Hawk - - - - 3 2 1 1 3 1 - - - 1 8 Cooper's Hawk -	-	3	_	_	5	2	22	7	_	2	_	3	_	2	2
Cooper's Hawk - <	Sharp-shinned Hawk	-	_	_	3	2	1	1	3	1	_	_	_	1	8
Sharp-sh./Cooper's Hawk -	-	-	_	1	3	4	6	5	4	5	_	1	1	5	13
Red-shouldered Hawk 15 8 14 1 8 9 3 6 9 1 1 5 9 26 Red-tailed Hawk 16 13 19 24 41 31 28 20 10 3 9 12 14 28 Rough-legged Hawk - - - 1 - </td <td>-</td> <td>_</td> <td>-</td>	-	_	_	_	_	_	_	_	_	_	_	_	_	_	-
Rough-legged Hawk - - - 1 -		15	8	14	1	8	9	3	6	9	1	1	5	9	26
Golden Eagle - <t< td=""><td>Red-tailed Hawk</td><td>16</td><td>13</td><td>19</td><td>24</td><td>41</td><td>31</td><td>28</td><td>20</td><td>10</td><td>3</td><td>9</td><td>12</td><td>14</td><td>28</td></t<>	Red-tailed Hawk	16	13	19	24	41	31	28	20	10	3	9	12	14	28
Golden Eagle - <t< td=""><td>Rough-legged Hawk</td><td>_</td><td>_</td><td>_</td><td>_</td><td>1</td><td>_</td><td>_</td><td>_</td><td>_</td><td>_</td><td>_</td><td>_</td><td>_</td><td>-</td></t<>	Rough-legged Hawk	_	_	_	_	1	_	_	_	_	_	_	_	_	-
Virginia Rail - - - 1 - 1 <		-	_	_	_	1	_	_	_	_	_	_	_	_	-
American Coot 10 wk 214 - - 3 67 - - 1 2 - 12 Sandhill Crane - - 16 - - 53 - 74 184 - 28 16 7 156 Killdeer 40 21 143 111 782 14 6 142 27 - 1 61 20 20 Least Sandpiper 12 - 58 -	-	-	_	_	_	_	1	_	_	_	_	_	_	_	_
Killdeer 40 21 143 111 782 14 6 142 27 - 1 61 20 Least Sandpiper 12 - 58 - <td></td> <td>10</td> <td>wk</td> <td>214</td> <td>_</td> <td>_</td> <td>3</td> <td>67</td> <td>_</td> <td>_</td> <td>_</td> <td>1</td> <td>2</td> <td>_</td> <td>12</td>		10	wk	214	_	_	3	67	_	_	_	1	2	_	12
Least Sandpiper12-58 <td>Sandhill Crane</td> <td>-</td> <td>_</td> <td>16</td> <td>_</td> <td>_</td> <td>53</td> <td>_</td> <td>74</td> <td>184</td> <td>_</td> <td>28</td> <td>16</td> <td>7</td> <td>156</td>	Sandhill Crane	-	_	16	_	_	53	_	74	184	_	28	16	7	156
Western Sandpiper - 2 -	Killdeer	40	21	143	111	782	14	6	142	27	_	1	61	20	20
Western Sandpiper - - 2 -	Least Sandpiper	12	_	58	_	_	_	_	_	_	_	_	_	_	-
Spotted Sandpiper -		-	_	2	_	-	_	-	-	-	_	-	_	-	-
Wilson's Snipe15053 </td <td></td> <td>-</td> <td>_</td> <td>-</td>		-	_	_	_	_	_	_	_	_	_	_	_	_	-
American Woodcock - - - - 5 -		150	_	_	_	53	_	_	_	_	_	_	_	_	-
Ring-billed Gull - 35 974 - - - 140 - wk 29 - 876 Herring Gull - wk 67 - <td>-</td> <td>-</td> <td>_</td> <td>-</td> <td>-</td> <td>-</td> <td>5</td> <td>-</td> <td>-</td> <td>_</td> <td>_</td> <td>-</td> <td>_</td> <td>-</td> <td>-</td>	-	-	_	-	-	-	5	-	-	_	_	-	_	-	-
Ring-billed Gull - 35 974 - - - 140 - wk 29 - 876 Herring Gull - wk 67 - <td>Bonaparte's Gull</td> <td>-</td> <td>33</td> <td>490</td> <td>_</td> <td>-</td> <td>_</td> <td>-</td> <td>-</td> <td>-</td> <td>_</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td>	Bonaparte's Gull	-	33	490	_	-	_	-	-	-	_	-	-	-	-
Herring Gull-wk 67 3-1Les. Black-backed Gull4 <td></td> <td>_</td> <td>35</td> <td>974</td> <td>_</td> <td>_</td> <td>_</td> <td>_</td> <td>_</td> <td>140</td> <td>_</td> <td>wk</td> <td>29</td> <td>_</td> <td>876</td>		_	35	974	_	_	_	_	_	140	_	wk	29	_	876
Les. Black-backed Gull - - 4 - <td>-</td> <td>-</td> <td>wk</td> <td>67</td> <td>_</td> <td>-</td> <td>_</td> <td>-</td> <td>-</td> <td>-</td> <td>_</td> <td>-</td> <td>3</td> <td>-</td> <td>1</td>	-	-	wk	67	_	-	_	-	-	-	_	-	3	-	1
Rock Pigeon 15 2 66 307 155 40 668 105 32 - 51 51 130 432 Eurasian Collared-Dove 3 wk - 26 26 - - - - 51 51 51 130 432 Mourning Dove 48 78 21 120 677 60 182 344 71 - 472 569 281 321 Barn Owl - - - 2 - - 2 - - 472 569 281 321 Barn Owl - - - - - - 2 - - 42 - - 4 Great Horned Owl - 1 1 6 4 1 3 3 1 1 2 1 3 Barred Owl - 1 1 6 4 1 3 1 1 2 1 3 Barred Owl -	-	-	_	4	_	-	_	-	-	-	_	-	_	-	-
Rock Pigeon 15 2 66 307 155 40 668 105 32 - 51 51 130 432 Eurasian Collared-Dove 3 wk - 26 26 - - - - 51 51 51 130 432 Mourning Dove 48 78 21 120 677 60 182 344 71 - 472 569 281 321 Barn Owl - - - 2 - - 2 - - 472 569 281 321 Barn Owl - - - - - - 2 - - 42 - - 4 Great Horned Owl - 1 1 6 4 1 3 3 1 1 2 1 3 Barred Owl - 1 1 6 4 1 3 1 1 2 1 3 Barred Owl -	Forster's Tern	_	12	6	_	_	_	_	_	_	_	_	_	_	_
Eurasian Collared-Dove3wk-262622Mourning Dove4878211206776018234471-472569281321Barn Owl22-2-472569281321Eastern Screech-Owl22244Great Horned Owl-1116413311213Barred Owl521-41-3113Short-eared Owl5211131Belted Kingfisher2-8-64225-17216Blkchinned Hummingbird-1Red-headed Woodpecker614391741910121Red-bellied Woodpecker564049184022175655525191885		15	2	66	307	155	40	668	105	32	_	51	51	130	432
Barn Owl - - - - 2 - - 2 - - 2 - - 2 - - 2 - - 2 - - 2 - - 2 - - 2 - - 2 - - 2 - - 2 - - 2 -<	Eurasian Collared-Dove	3	wk	-	26	26	_	-	-	_	_	-	22	-	-
Barn Owl224Great Horned Owl-111164133111213311213311213311213311213311213311121331112133111213311121331112133111211111111111111111111111111 <t< td=""><td>Mourning Dove</td><td>48</td><td>78</td><td>21</td><td>120</td><td>677</td><td>60</td><td>182</td><td>344</td><td>71</td><td>_</td><td>472</td><td>569</td><td>281</td><td>321</td></t<>	Mourning Dove	48	78	21	120	677	60	182	344	71	_	472	569	281	321
Great Horned Owl - 1 1 1 6 4 1 3 3 1 1 2 1 3 Barred Owl 5 2 1 - 4 1 - 3 1 - - 1 - 3 Barred Owl 5 2 1 - 4 1 - 3 1 - - 1 - Short-eared Owl - - - - 1 -	-	-	_	-	-	2	_	-	-	2	_	-	_	-	-
Barred Owl 5 2 1 - 4 1 - 3 1 - - - 1 - Short-eared Owl - - - - 1 - 3 1 - - 1 - Short-eared Owl - - - 1 - 1 -<	Eastern Screech-Owl	2	_	-	-	-	_	1	-	_	_	-	_	-	4
Barred Owl 5 2 1 - 4 1 - 3 1 - - - 1 - Short-eared Owl - - - - 1 - 1 - 3 1 - - 1 - Short-eared Owl - - - - 1 -<	Great Horned Owl	-	1	1	1	6	4	1	3	3	1	1	2	1	3
Belted Kingfisher 2 - 8 - 6 4 2 2 5 - 1 7 2 16 Blkchinned Hummingbird - 1 - - - - - - - 1 7 2 16 Blkchinned Hummingbird - 1 -		5	2	1	-	4	1	-	3	1	_	-	_	1	-
Blkchinned Hummingbird - 1 - </td <td>Short-eared Owl</td> <td>-</td> <td>_</td> <td>-</td> <td>-</td> <td>-</td> <td>1</td> <td>-</td> <td>-</td> <td>_</td> <td>_</td> <td>-</td> <td>_</td> <td>-</td> <td>-</td>	Short-eared Owl	-	_	-	-	-	1	-	-	_	_	-	_	-	-
Rufous Hummingbird - 1 -	Belted Kingfisher	2	_	8	-	6	4	2	2	5	_	1	7	2	16
Rufous Hummingbird - 1 -	-	-	1	-	-	_	_	-	_	-	-	-	_	-	_
Red-headed Woodpecker 61 4 39 1 7 4 1 9 10 - - 1 2 1 Red-bellied Woodpecker 56 40 49 18 40 22 17 56 55 5 25 19 18 85	-	-	1	-	_	_	-	-	_	_	-	-	_	-	_
Red-bellied Woodpecker 56 40 49 18 40 22 17 56 55 5 19 18 85		61	4	39	1	7	4	1	9	10	-		1	2	1
Yelbellied Sapsucker 6 2 7 1 1 3 3 8 7 - - 2 3 22	Red-bellied Woodpecker	56	40	49	18	40	22	17	56	55	5	25	19	18	85
	Yelbellied Sapsucker	6	2	7	1	1	3	3	8	7	-	_	2	3	22

2016

<u>2</u>7

2016 THE KENTUCKY WARBLER 2												27				
Shelbyville	Hart County	Nolin River	Green River Lake	Frankfort	Kleber WMA	Danville	Lexington	Burlrington	Falouth	Warsaw	Russell-Adair County	Somerset	Wayne County	London	Cumberland Falls	Total
134	105	195	40	79	6	111	93	102	48	37	102	75	97	69	154	2244
-	1	2	3	1	-	-	1	-	4	7	1	3	1	wk	5	126
6	3	2	1	-	-	4	2	-	-	-	4	2	6	-	-	78
4	3	1	-	-	-	-	3	-	-	-	1	wk	-	-	-	32
4	5	-	2	1	1	4	9	-	1	1	1	3	2	1	2	85
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
-	10	2	3	-	-	1	2	3	-	-	15	12	4	12	9	188
38	9	11	14	17	13	41	40	14	13	7	16	26	11	10	5	553
-	-	-	-	-	_	-	-	-	_	-	-	-	-	-	-	1
-	-	-	-	-	_	-	-	-	_	-	-	-	-	-	-	1
-	-	-	-	-	_	-	-	-	-	-	-	-	-	-	-	1
2	_	-	35	-	_	_	6	45	_	-	_	5	1	1	1	405
wk	2	138	_	53	_	58	_	_	_	-	wk	_	155	-	_	940
-	60	5	5	9	_	20	93	2	5	17	41	13	5	22	11	1696
12	_	-	_	-	_	_	_	_	_	-	_	_	_	-	_	82
_	-	-	_	-	_	_	_	-	_	-	_	-	-	-	-	2
_	-	-	_	1	_	-	-	-	_	-	-	-	-	-	-	1
2	-	-	-	-	-	-	1	-	-	-	18	9	_	1	_	234
-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	9
_	_	20	72	-	_	_	13	_	_	-	250	2	6	-	3	889
_	_	132	121	14	_	_	_	7	6	175	28	41	13	-	386	2977
-	-	-	-	-	_	3	-	-	_	-	-	-	-	-	-	74
-	-	-	-	-	_	-	-	-	_	-	-	-	-	-	-	4
-	-	-	-	-	_	-	-	-	-	-	-	-	-	-	-	18
223	2	3	2	315	72	146	187	51	36	23	20	341	22	501	29	4027
9	15	-	-	-	-	-	-	-	-	-	2	-	8	-	-	111
268	76	60	117	90	49	224	312	27	39	25	259	737	246	151	22	5946
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
	2	1	_	_	_	4	16	3	2	1	1	1	1		3	42
wk	5	5	_	2	_	1	1	_	_	_	6	2	1		1	52
_	3	1	-	-	-	-	-	1	-	-	8	-	-	-	1	32
_	-	-	_	-	_	_	_	_	_	-	_	-	-	-	-	1
7	5	3	1	11	1	1	3	3	1	5	5	6	1	3	-	111
_	_	-	_	_	_	_	_	_	_	-	_	_	-	-	_	1
	_	-	_	_	_	_	_	_	_	-	_	_	_	-	_	1
	1	-	2	_	_	_	1	2	_	-	11	2	7	1	_	167
22	10	7	19	23	8	25	56	11	13	12	59	54	30	16	18	888
-	7	7	-	3	1	2	5	2	-	3	7	2	3	-	2	109

Vol. 92

2015–2016 Christmas Bird Count	Ballard County	Calloway County	Land Between the Lakes	Sorgho	Elkton	Paradise	Bowling Green	Western Allen County	Eastern Allen County	Mammoth Cave Nat'l Park	Hodgenville	Otter Creek Park	Bernheim Forest	Louisville
		_						-		-		-		
Downy Woodpecker	30	23	32	18	31	20	16	42	16	7	19	23	28	123
Hairy Woodpecker	11	6	6	5	6	6	1	5	3	2	7	13	5	18
Northern Flicker	36	13	36	8	34	17	8	30	5	1	5	14	23	32
Pileated Woodpecker	8	7	50	2	13	11	2	11	21	3	6	16	14	17
American Kestrel	12	10	9	48	45	25	29	17	7	-	19	14	11	10
Merlin	-	-	_	-	_	_	-	-	_	_	-	_	-	3
Peregrine Falcon	-	-	-	-	1	-	1	-	-	-	-	-	-	1
Eastern Phoebe	4	6	6	-	3	2	1	8	21	4	2	-	2	3
Loggerhead Shrike	1	-	-	1	3	-	1	5	-	-	1	2	-	-
Blue Jay	86	54	137	59	112	223	67	112	117	5	42	43	24	246
American Crow	22	100	241	19	69	310	965	68	696	15	95	245	103	262
Fish Crow	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Horned Lark	31	5	-	104	856	-	150	69	20	-	105	3	-	-
Carolina Chickadee	85	32	98	20	32	83	52	55	67	12	44	93	85	245
Tufted Titmouse	70	40	123	16	48	108	43	95	96	15	51	88	78	191
Brown-headed Nuthatch	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Red-breasted Nuthatch	-	-	-	-	-	2	-	-	-	1	-	-	-	-
White-breasted Nuthatch	19	21	68	15	22	10	10	28	40	11	15	21	29	61
Brown Creeper	8	6	2	1	_	2	6	2	_	2	3	8	1	37
Winter Wren	9	2	-	-	3	3	2	4	_	1	_	2	1	9
House Wren	-	-	-	-	1	-	-	-	-	_	1	1	-	-
Marsh Wren	-	-	-	-	-	2	-	-	-	_	1	-	-	-
Carolina Wren	31	11	8	8	23	10	19	24	20	3	3	27	33	85
Golden-crowned Kinglet	33	2	14	6	9	12	10	12	2	3	21	45	40	43
Ruby-crowned Kinglet	14	1	_	1	5	6	1	1	2	_	1	8	5	18
Eastern Bluebird	30	55	42	2	70	32	26	130	49	5	16	29	83	35
Hermit Thrush	11	4	1	_	1	2	2	_	3	2	_	3	3	5
American Robin	86	315	10	139	96	265	165	440	814	37	531	175	376	2773
Northern Mockingbird	16	23	2	22	30	11	20	34	8	3	13	12	22	49
Brown Thrasher	20	_	2	_	4	3	_	5	_	_	-	_	_	2
European Starling	74	825	68	6687	9215		3259	-	392	6	6170	1565	1295	2812
American Pipit	-	-	-	-	280	-	1	209	392	_	66	-	-	
Cedar Waxwing	8	6	18	1	16	17	20	98	50	5	wk	25	15	372
Lapland Longspur	_	25		-	52	-	250	-	_	-	6	3		-
Orange-crowned Warbler	1	- 25	_	_	2	_	-	_	_	_	-	_	_	2
American Redstart	-	_	_	_		_	-	_	_	_	_	_	_	-
Palm Warbler	_	_	_	1	1	_	2	10	_	_	2	_	_	2
		I		1	1			10			<u>_</u>		_	

2016	
2010	

29

2016 THE KENTUCKY WARBLER												29				
Shelbyville	Hart County	Nolin River	Green River Lake	Frankfort	Kleber WMA	Danville	Lexington	Burlrington	Falmouth	Warsaw	Russell-Adair County	Somerset	Wayne County	London	Cumberland Falls	Total
19	12	2	9	20	9	16	61	14	9	11	25	37	20	14	17	723
3	2	2	1	5	-	3	5	1	-	2	5	13	3	3	4	146
13	14	4	9	6	1	16	31	6	7	7	17	32	17	6	6	454
4	10	3	2	5	5	3	9	3	2	2	10	11	12	10	5	277
55	23	24	17	6	3	48	35	13	5	10	45	70	51	18	4	683
1	-	-	-	-	1	-	1	_	-	-	-	wk	-	-	_	6
-	-	-	-	3	-	-	-	2	1	1	-	-	-	-	-	10
1	7	1	-	2	-	-	2	-	-	-	17	9	10	4	6	121
_	1	1	-	1	-	2	1	_	-	-	1	_	1	_	_	22
39	52	47	40	38	6	63	59	30	18	30	169	219	171	68	34	2410
129	176	99	136	307	30	115	378	53	73	220	214	608	286	998	159	7191
_	-	-	-	-	-	-	-	_	-	-	_	-	-	-	_	4
128	26	50	50	-	-	-	-	_	-	2	_	-	14	-	_	1613
46	29	14	24	110	15	67	205	31	8	34	81	92	91	85	47	1982
28	30	26	36	71	9	61	91	34	15	34	82	88	91	69	44	1871
-	_	-	-	-	-	-	-	_	-	-	_	_	-	-	_	1
_	_	_	_	1	-	-	-	_	-	-	1	_	-	-	_	5
23	16	16	13	21	5	26	22	11	13	9	42	39	28	42	45	741
2	1	-	1	6	2	_	8	_	2	1	_	3	2	2	4	112
_	1	2	_	6	_	_	1	_	-	-	4	9	2	1	4	66
_	_	_	_	_	_	_	-	_	_	_	1	1	_	_	1	6
_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	3
8	9	4	4	29	5	28	37	6	5	7	20	31	29	23	8	558
5	7	7	1	6	2	4	22	2	3	10	31	42	41	20	26	481
_	1	_	1	5	-	2	1	_	_	-	12	12	8	6	4	115
9	77	50	26	14	13	63	69	13	19	16	91	140	52	80	77	1413
_	1	_	_	1	_	_	7	_	-	_	6	2	5	3	6	68
414	750	205	233	180	246	116	2014	499	84	56	866	292	746	121	44	13088
13	10	10	9	5	-	52	29	6	6	11	43	55	33	35	4	586
-	_	-	-				-		-		1			-	1	40
3138							11333					5249			208	79807
_	_	_	_	_	_	_	_	_	_	_	22	_	_	_	_	970
-	20	1	-	_	_	19	10	3	38	6	42	_	31	68	_	889
_	_	_	-	_	_	-	_	_	-	-	_	_	-	_	_	336
-	_	-	-	_	-	-	-	_	-	-	_	_	_	_	_	5
-	-	-	-	-	-	-	-	_	-	-	-	1	_	_	_	1
_	1	10	-	-	-	-	_	_	-	-	_	13	-	_	_	42
L																

2015–2016 Christmas Bird Count	Ballard County	Calloway County	Land Between the Lakes	Sorgho	Elkton	Paradise	Bowling Green	Western Allen County	Eastern Allen County	Mammoth Cave Nat'l Park	Hodgenville	Otter Creek Park	Bernheim Forest	Louisville
Pine Warbler	3	-	-	-	-	1	-	-	-	-	-	2	1	2
Yelrumped Warbler	17	-	7	_	7	78	21	30	15	13	35	42	72	30
Eastern Towhee	47	20	8	5	33	31	11	33	19	1	6	33	22	15
Amer. Tree Sparrow	8	-	3	3	1	11	-	-	-	-	6	7	9	24
Chipping Sparrow	2	5	_	20	24	-	2	17	-	4	4	-	20	-
Field Sparrow	72	16	3	7	36	54	55	119	13	10	44	188	53	28
Vesper Sparrow	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Savannah Sparrow	72	-	-	-	36	42	8	37	4	-	6	-	-	-
Le Conte's Sparrow	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Fox Sparrow	11	1	2	-	4	27	1	25	10	-	1	43	1	wk
Song Sparrow	76	27	10	39	85	194	63	114	60	8	50	214	104	177
Swamp Sparrow	126	4	10	3	39	140	31	24	6	4	14	37	24	32
White-thr. Sparrow	210	124	52	18	76	195	172	141	91	8	61	162	108	328
White-cr. Sparrow	14	3	3	23	59	19	7	173	8	-	43	21	18	8
Dark-eyed Junco	106	262	267	22	34	107	69	30	117	38	49	107	292	289
Northern Cardinal	171	129	126	105	163	154	107	280	116	6	100	159	224	423
Red-wg. Blackbird	612	6142	513	115	10631	880	160	196	67	-	24	2	31	409
Eastern Meadowlark	8	15	2	-	104	15	30	147	70	-	7	16	16	-
Rusty Blackbird	15	3	14	-	8	20	-	-	-	-	wk	13	20	253
Common Grackle	200	7513	58	75	7711	10200	450	55	1062	-	723	10	320	1587
Brown-hd. Cowbird	1	25	-	4	179	82	100	15	750	-	42	-	-	1
Purple Finch	4	1	2	2	1	5	2	-	33	31	wk	-	-	-
House Finch	19	19	-	10	34	1	33	67	3	-	50	21	32	99
Pine Siskin	55	-	-	-	2	-	-	-	-	-	-	-	-	-
American Goldfinch	84	88	108	65	46	57	60	134	365	38	55	51	59	187
House Sparrow	6	4	4	93	135	28	47	44	26	-	163	105	20	140
Day of Count	D22	J04	D19	J01	D22	J03	D15	D26	J02	D17	D30	D26	D27	D20
Number of Species	87	74	90	58	83	83	77	71	64	38	71	76	66	87
No. of Individuals	87 15277		7313	8540		85 16226		5557	6448	349	9690	4937	4588	
No. of Observers	5	10/32	38	15	4	10220	4	20	16	349	9090	6	10	42
110. 01 005017015	5	10	50	15	4	10	4	20	10	5	2	U	10	42

2016

31

Shelbyville Hart County Nolin River Green River Lake Frankfort Kleber WMA Danville Danville Lexington Lexington Falmouth Kussell-Adair County Somerset Warsaw Kussell-Adair County London London Cumberland Falls	
	Total
2 1 -	12
- 39 20 19 7 8 - 54 14 21 19 102 46 127 10 6 33	859
2 11 1 2 2 - 3 10 5 - 6 55 23 31 3 - 4	438
14 2 -	135
1 8 58 29 8 13 X	215
16 35 20 30 - 1 6 17 32 11 9 30 77 24 20 11 1	037
	1
4 - 1 - 5 4 6 - 2 2	227
	2
- 2 8 3 1 1 12	153
34 187 24 13 80 29 32 61 44 22 23 95 126 77 84 19 2	171
- 112 2 - 6 2 - 2 6 1 - 3 13 2 7 2 6	652
21 220 20 11 74 17 78 239 8 36 13 72 128 95 26 30 2	834
90 106 31 wk 19 8 56 29 21 - 9 8 121 43 14 2 9	956
13 47 125 26 51 20 43 127 26 4 44 115 300 125 89 186 3	130
82 49 40 45 180 23 185 245 38 26 62 214 390 195 128 64 4	229
4 1000 150 50 3 30 wk 3 - 11 - 2 - 11 2	1046
63 6 117 10 1 1 75 15 76 43 49 7 4	897
1 13 3	360
- 500 1 250 wk - 2 57 2 408 1 3 1 - 3	1189
20 21 9 103 40 1	392
- 3 - 2 6 - 15 4 1 4 3	119
33 6 7 43 21 - 77 84 19 7 5 41 158 115 53 8 1	065
21 17	95
28 105 61 93 122 19 76 117 67 15 56 73 151 96 58 45 2	579
	671
J02 D13 D19 D29 D19 J02 D19 J01 J02 D19 D16 J01 J04 D15 D19	
57 69 64 59 63 37 60 77 56 51 58 79 79 77 60 69	
6397 5106 4159 4404 3667 1201 7717 17934 2504 1125 2099 8107 10817 10483 5421 1979	
23 9 6 6 21 2 26 37 11 3 3 6 12 7 11 7	

Danville (all points within a 7.5-mile radius circle, center Boyle County Courthouse; 37.64634°, -084.77345°). Habitat: water edge (15%), urban (8%), cultivated (10%), field/ fence row (35%), wooded edge (25%), and feeder (7%). Dec. 19; 8:00 a.m. to 4:00 p.m. Sky clear; temp. 28-44°F; wind N 10 m.p.h.

Twenty-six observers in nine parties. Total party-hours 47.5 (6.5 on foot, 41.0 by car). Total party-miles 478.58 (6.18 on foot, 472.40 by car). Total species 60; total individuals 7717.

Observers: Jane Brantley (compiler), JP Brantley, Lauren Clontz, Granville Cox, Thelm Cox, Neil Eklund, Virginia Eklund, Stephanie Fabritius, Mark Galowitsch, Bill Garriott, Michael Hamm, Mort Hoagland, Emma Kagan-Moore, Mike Lauer, Anne Lubbers, Gail Manning, Preston Miles, Eric Mount, Don Pelly, Jim Porter, Linda Porter, Milton Scarbough, Kate Slankard, Scott Slankard, Patsi Trollinger, and Charles Vahlkamp.

Lexington (all points within a 7.5-mile radius circle, center East Hickman Church on Tates Creek Road; 37.9198°, -084.4693°). Habitat: suburban farms, woodlots, water company reservoirs, Kentucky River cliffs and bottomland. Dec. 19; 6:15 a.m. to 3:45 p.m. Sky partly cloudy; temp. 28-42°F; wind NE 10 m.p.h.

Thirty-seven observers in 13 parties. Total party-hours 70 (22 by foot, 48 by car), with 8 hours at feeders and 3.50 hours owling. Total party-miles 280.5 (19.0 by foot, 261.5 by car). Total species 77; total individuals 17,934.

Observers: Laura Baird, Nancy Barnett, Ramesh Bhatt, Suzanne Bhatt, Nancy Braun, Lisa Combs, John Cox, Chris DeMoll, Eddie DeMoll, Mike Flynn, Stratton Hatfield, Jim Hodge, Marcia Hopkins, Kevin Hopper, Ian Horn, Beverly James, Allen Kingsland, Betsy Lang, David Lang, Ben Limle, Judy Lundquist, Teresa Noel, Sydney Penner, Pep Peppiat, Carol Pickett, Layton Register, Spencer Reinhard, Lou Shain, Jeff Sole, Marie Sutton, Dave Svetich, Joe Swanson, Mark Tower (compiler), Sally Wasielwski, George Weams, Jim Williams Bernice Wood, and Suzanne Zivari.

Burlington (all points within a 7.5-mile radius circle, center near Camp Michaels; 38.94932°, -084.74625°). Habitat as described in 1992. Jan. 1; 6:30 a.m. to 5:15 p.m. Sky partly cloudy; temp. 29-37°F. All water was open.

Eleven observers in five parties. Total party-hours 23 (9 on foot, 14 by car). Total party-miles 141 (5 on foot, 136 by car). Total species 56; total individuals 2504.

Observers: Linda Altevers, Joe Caminiti, Joey Caminiti, Kathy Caminiti, Katie Caminiti, Elaine Carroll, Pat Carroll, Melissa Desjardin, Lee McNeely (compiler), Gayle Pille, and Tommy Stephens.

A leucistic Red-tailed Hawk was observed near the East Bend Power Plant.

Falmouth (all points within a 7.5-mile radius circle, center near Caddo, Ky.; 38.74738°, -084.24473°). Habitat: 50% woodland and forest edge, 25% river and lake shoreline, 20% agricultural, and 5% residential. Jan. 2; 7:00 a.m. to 5:15 p.m. Sky sunny; temp. 29-38°F. All water was open.

Three observers in two parties. Total party-hours 14 (3 on foot, 12 by car). Total partymiles 118 (1 on foot, 117 by car). Total species 51; total individuals 1125.

Observers: Rodney Crice, Lee McNeely (compiler), and Tommy Stephens.

Warsaw (all points within a 7.5-mile radius circle, center Gallatin County Courthouse; 38.78387°, -084.90227°). Habitat as described in 1992. Dec. 19; 6:45 a.m. to 5:50 p.m. Sky partly cloudy, some light rain; temp. 29-41°F; wind SW, 3-15 m.p.h. All water was open.

Three observers in two parties. Total party-hours 14.5 (2.0 on foot, 12.5 by car). Total party-miles 206 (2 on foot, 204 by car). Total species 58; total individuals 2099.

Observers: Ed Groneman, Lee McNeely (compiler), and James Wheat. Seven Bald Eagles represented a new count high.

Russell-Adair County (all points within a 7.5-mile radius circle, center intersection of Owensby Road and Hwy. 3281; 36.96583°, -085.12167°). Habitat: mixed and deciduous woodland, pasture fields, streams and lake, mostly rural with a small percentage of urban. Elevation ranges from 530 to 1140 feet above sea level. Dec. 16; 5:20 a.m. to 4:30 p.m. CST. Sky foggy in the morning, mostly clear in the afternoon; temp. 37-67°F; wind S, 0-25 m.p.h.

Six observers in four parties. Total part-hours 38.75 (3.00 on foot, 35.75 by car). Total party-miles 334.0 (1.5 on foot, 332.5 by car). Total species 79; total individuals 8107.

Observers: Ray Bontrager, Granville Cox, Roseanna Denton (compiler), Steve Denton, Arlene Morton and Stephen J. Stedman.

Somerset (all points within a 7.5-mile radius circle, center junction of Bypass Hwy. 80 and Hwy. 39; 37.10245°, -084.60376°). Habitat as described in 2000. Jan. 1; 6:05 a.m. to 5:30 p.m. Sky cloudy to partly cloudy; temp. 32-42°F; wind NW, 0-5 m.p.h. All water was open.

Twelve observers in six parties. Total party-hours 48.50 (8.25 by foot, 40.25 by car). Total party-miles 439.5 (5.5 on foot, 434.0 by car). Total species 78; total individuals 10,811.

Observers: Rhonda Bryant, Granville Cox, Roseanna Denton (compiler), Steve Denton, Gay Hodges, James Kiser, Scott Marsh, Lynda Mills, Tom Mills, Arlene Morton, Sasha Rhode, and Stephen J. Stedman.

Wayne County (all points within a 7.5-mile radius circle, center jct. Hwy. 1275 and Hwy. 3106; 36.8972°, -084.8215°). Habitat as described in 2002. Jan. 4; 6:50 a.m. to 6:25 p.m. Sky cloudy to partly clear; temp. 31-38°F; wind N, 0-15 m.p.h. Morning snow showers.

Seven observers in five parties. Total party hours 45 (7 on foot, 38 by car). Total partymiles 345 (3 on foot, 342 by car). Total species 77; total individuals 10,483.

Observers: Michael Autin, Roseanna Denton (compiler), Gay Hodges, Bret Kuss, Arlene Morton, Sasha Rhode, and Stephen J. Stedman.

London (all points within a 7.5-mile radius circle, center at jct. Rte. 3432 and US 25; 37.13544°, -084.-09445°). Habitat as described in 2014. Dec. 15; 6:30 a.m. to 5:20 p.m.; sky clear; temp. 40-67°F; wind SW, 0-5 m.p.h.

Eleven observers in five parties. Total party hours 43.5 (1.5 on foot, 42.0 by car). Total party miles 421.5 (1.5 on foot, 420.0 by car). Total species 60; total individuals 5421.

Observers: Wendi Allen, Granville Cox (compiler), Thelma Cox, Roseanna Denton, Steve Denton, Gay Hodges, Bobbie Idol, Bret Kuss, Linda McClendon, Marie Oakley, and Becky Whittemore.

Cumberland Falls (all points within a 7.5-mile radius circle, center on upper Bark Camp Creek; 36.8900°, -084.2611°). Habitat: mostly forested (about 70% upland oak and pine, mixed forest and hemlock forest), about 20% in small rural home lots, small farm holdings, and minimal residential and urban areas. One moderately large reservoir (Laurel Lake) and about 17 miles of Cumberland River/Lake Cumberland and its riparian forest. Dec. 19; 7:30 a.m. to 5:30 p.m. EST; sky clear.; temp. 24-43°F; wind NW, 5-10 m.p.h.

Seven observers in four parties. Total party hours 31 (5 on foot, 26 by car), with 1.75 hours owling. Total party miles 332 (5 on foot, 327 by car), with 6 miles owling. Total species 69; total individuals 1979.

Observers: Sara Ash, Roseanna Denton, Steve Denton, Bret Kuss (compiler), Lynda Mills, Tom Mills, and Renee Yetter.

The Green Heron was photographed along Rock Branch Road, sse. of Sawyer, Mc-Creary County, by Lynda and Tom Mills.

- 283 Roy Thomas Road, Bowling Green, KY, 42103 (blaine.ferrell@wku.edu).

FIELD NOTE

Another 19th Century Report of Golden Eagle in Kentucky

While researching some historical ornithological literature, I ran across the following account of a 19th Century report of a Golden Eagle (*Aquila chrysaetos*) from Kentucky. The following is the text of a short note in *The Cincinnati Enquirer* from November 6, 1898:


GOLDEN EAGLE KILLED

SPECIAL DISPATCH TO THE ENQUIRER

RICHMOND, KY. Nov. 5 — While hunting on Lies Knob, near Berea, John Garrett killed a golden eagle which measured six feet from tip to tip. It was engaged in a furious battle with crows when the hunter brought it down. It was bought by Berea College for its ornithological collection.

- Bob Foppe, 6080 Weber Oaks Drive, Loveland, OH, 45140.

[Editor's Note: Unfortunately, this specimen apparently no longer resides (presuming it was ever accepted) in the Berea College collection (G. Neil Douglas, 2016 personal communication)].



NEWS AND VIEWS

Visit the K.O.S. Web Site!

You may find information about the Society on our web site at the following address: <u>www.birdky.org</u>. Please bookmark this web site address, as the former web site will be removed when the migration of all information is completed.

Virginia and Wendell Kingsolver Scholarship Available

The Virginia & Wendell Kingsolver Scholarship Fund was established in 2013 to honor the memory of Virginia "Ginny" Kingsolver and the legacy and contributions of Ginny and her husband, Wendell, to K.O.S. and to environmental education efforts across Kentucky. The scholarship is available to a young birder between the ages of 13 and 18 who lives in Kentucky. The Fund will pay tuition for a young birder to attend an American Birding Association Summer Camp. Details about the A.B.A. camps can be found on the A.B.A. website. To apply for a Kingsolver Scholarship, applicants should fill out the form found on the K.O.S. web site (http://birdky.org/wendell-and-ginny-kingsolver-fund.html), write a short essay (500 words or less) on why he or she wants to attend, and include a brief recommendation from a parent, teacher, or mentor. Recipients will be asked to report on their camp experience either in person to their local bird club, to K.O.S. at a meeting, or in writing. The deadline to apply for a 2016 Kingsolver Scholarship is April 1, 2016.

K.O.S. Anne L. Stamm Avian Education Fund Grants Available

The Anne L. Stamm Avian Education Fund supports education of children in the deeper appreciation of birds and ornithology. For guidelines on how to apply for grants of up to \$500, visit the K.O.S. web site (http://www.birdky.org/anne-stamm-fund.html) or contact Scott Marsh by mail at 4401 Athens-Boonesboro Road, Lexington, KY, 40509, or via email at (scott.marsh@twc.com).

K.O.S. Burt L. Monroe, Jr., Avian Research Grants Available

The Burt L. Monroe, Jr., Avian Research Fund supports research on birds in Kentucky with monetary awards of up to \$1000. For guidelines on how to apply, visit the K.O.S. web site (http://www.birdky.org/burt-monroe-jr-fund.html) or contact Kate Slankard, Kentucky Department of Fish and Wildlife Resources, #1 Sportsman's Lane, Frankfort, KY, 40601 (kate.slankard@ky.gov).

Kentucky Bird Records Committee

The Kentucky Bird Records Committee (KBRC) is charged with determining the validity of records of rare and out-of-season birds in Kentucky. Sightings of such birds should be documented with information supporting the identification and promptly submitted to the KBRC. Photographic evidence is desirable but not essential. Electronic documentation is preferred and should be submitted to KBRC Secretary, Ben Yandell, via e-mail at kbrc@birdky.org. If electronic submission is not feasible, paper documentation can be mailed to Ben Yandell, KBRC Secretary, 513 Lymington Ct., Louisville, KY 40243.

